# ENRON OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

May 26, 1993

MAY 2 8 1993

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

DIVISION OF OIL, GAS & MINING

RE: NOTICE OF STAKING
NATURAL COTTON 11-20
Sec. 20, T9S, R21E
Uintah County, Utah
Lease No. U-0575
Ute Tribal Surface

Dear Mr. Forsman:

Attached is a Notice of Staking on the subject well.

If you require further information, please contact this office.

Very truly yours,

ENRON OIL & GAS COMPANY

George McBride

Sr. Production Foreman

Attachment

cc: Division of Oil Gas & Mining Doug Weaver/Toni Miller

Curt Parsons

File

/1w NOSLTR

NOTICE OF CTAKING	MOGA 5. Lease Number
(Not to be used in place of 5/5/8 Application to Drill Form 9–331–C)	52 0070
Application to Diffit of the 9-331-0)	6. If Indian, Allottee or Tribe Name
	Ute Indian Land
1. Oil Well Gas Well X Other	
	7. Unit Agreement Name
2. Name of Operator	
Enron Oil & Gas Company	8. Farm or Lease Name
Ellion On a das company	Natural Buttes Unit
3. Address of Operator or Agent	
P. O. Box 1815, Vernal, Utah 84078	9. Well No.
	Natural Cotton 11-20
4. Surface Location of Well	
(Governmental 1/4 or 1/4 1/4)	10. Field or Wildcat Name
	Natural Cotton
1000' FNL, 1008' FWL NW/NW	
	11. Sec., T., R., M., or
Attach: Topographical or other acceptable map	Blk and Survey or Area sec. 20, T9S, R21E
Showing location, access road, and lease boundard. Formation Objective(s) 15. Estimated W	
<ul><li>14. Formation Objective(s)</li><li>15. Estimated W</li><li>Green River</li><li>5100'</li></ul>	12. County or Parish 13. State
Green niver	Uintah Utah
16. To Be Completed by Operator Prior to Onsite	
a. Location must staked - Completed	
<ul><li>b. Access Road Flagged – Completed</li><li>c. Sketch and/or map of location, showing road</li></ul>	d and dimensions reserve nit cuts and fills
(To be provided at onsite)	J, pad differsions, reserve pit, odts, and mis
(10 be provided at offsite)	
17. To Be Considered By Operators Prior to Onsit	te
a. H2S Potential - NA	
<ul> <li>b. Private Surface Ownership – Ute Indian Lan</li> </ul>	
c. Cultural Resources (Archaeology) - Compl	eted
d. Federal Right of Way	

19. Signed Linda L. Wall Title Sr. Admin. Clerk


18. Additional Information

Date 05

05/26/93

MAY 2 0 1993

DIVISION OF



ENRON

#### OIL & GAS COMPANY

P.O. BOX 1815, VERNAL, UTAH 84078 (801)789-0790

June 21, 1993

RECEIVED

Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

DIVISION OF CLUAS & MINING

RE: APPLICATION FOR PERMIT TO DRILL NATURAL COTTON 11-20 SECTION 20, T9S, R21E UINTAH COUNTY, UTAH LEASE NO. U-0575

UTE TRIBAL LANDS

Dear Mr. Forsman:

Enclosed are the original and two (2) copies of the Application for Permit to Drill and associated attachments for the referenced well.

If further information is required regarding this matter, please contact this office.

Sincerely,

ENRON OIL & GAS COMPAN

George R. McBride

Sr. Production Foreman

Attachments

cc: State Division of Oil, Gas & Mining
D. Weaver/T. Miller
Suzanne Saldivar - Houston
File

/lw NC11-20APD Formi 3160-3 (November 1983) (formerly 9-331C)

1a. TYPE OF WORK

b. TYPE OF WELL

At surface

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

OIL WELL



## SUBMIT IN TRIPLICATE.

(Other instructions on

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

#### UNITED STATES DEPARTMENT OF THE INTERIOR

5. LEASE DESIGNATION AND SERIAL NO. BUREAU OF LAND MANAGEMENT U-0575 6. IF INDIAN, ALLOTTES OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK UTE TRIBAL SURFACE 7. UNIT AGREEMENT NAME PLUG BACK DEEPEN DRILL 🗵 MULTIPLE ZONE 8. FARM OR LEASE NAME WELL X OTHER NATURAL COTTON 9. WELL NO. ENRON OIL & GAS COMPANY 11-20 10. FIELD AND POOL, OR WILDCAT 80478 P.O. BOX 1815, VERNAL, UTAH NATURAL COTTON 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*) 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA FNL & 1008' FWL NW/NW

1000' At proposed prod. zone SEC. 20, T9S, R21E 12. COUNTY OR PARISH | 13. STATE 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE®

10.5 MILES SOUTHEAST OF OURAY, 16. NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED 15. DISTANCE PROM PROPOSED\* DISTANCE PROM FACTORIST AND LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any) TO THIS WELL 1000'± 160 1600± 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS 18. DISTANCE FROM PROPOSED LOCATION®
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 2892'± 5100'± ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4799' GRADED GROUND

22. APPROX. DATE WORK WILL START\* JULY 1993

OF INTEREST (+ 10% EXCESS). LIGHT CEMENT ( 11 PPG±)

+ LCM TO 200' ABOVE OIL

INTERVALS (+ 5% EXCESS).

SHALE OR FRESH WATER

UINTAH

UTAH

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	BIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24.0#	240'	125 SX CLASS "G" +2% CaC12
7 7/8"	4 1/2"	10.5#	5100'	+ ½ #/SX CELLOFLAKE. 50/50
	Ţ.			POZMIX + 2% GEL + 10% SALT
			THE NUMBER	TO 400' ABOVE ALL ZONES

SEE ATTACHMENTS FOR:

JUN & 8 1993

8 POINT PLAN DRILLING PROGRAM BOP SCHEMATIC

DIVISION OF

SURFACE USE AND OPERATING PLAN C" CAS & MININC


LOCATION PLAT LOCATION LAYOUT TOPOGRAPHIC MAPS "A", "B" AND "C" GAS SALES PIPELINE EXHIBIT "A" WELLSITE SCHEMATIC

ENRON OIL & GAS COMPANY WILL BE THE DESIGNATED OPERATOR OF THE SUBJECT WELL UNDER NATION WIDE BOND #81307603

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout

preventer program, if any.		
81GNED Lunda I. Wall	TITLE	SR ADMIN. CLERK 6/21/93 APPROVED BY THE STATE
(This space for Federal or State office use) PERMIT NO. 43-047-30436		OF UTAH DIVISION OF OIL, GAS, AND MINING
APPROVED BY	TITLE	DATE: 7/6/93 BY: Atthur WELL SPACING: 197-1

### T9S, R21E, S.L.B.&M.



N89'58'W - 80.04 (G.L.O.)

#### LEGEND:

\_ = 90° SYMBOL

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

#### ENRON OIL & GAS CO.

Well location, NATURAL COTTON #11-20, located as shown in the NW 1/4 NW 1/4 of Section 20, T9S, R21E, S.L.B.&M. Uintah County, Utah.

#### BASIS OF ELEVATION

SPOT ELEVATION AT THE SW CORNER OF SECTION 17, T9S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4785 FEET.



THIS IS TO CERTIFY THAT THE BOVE PLAT WAS PREMARD TROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER AND
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT OF

BEST OF MY KNOWLEDGE AND

REGISTERED LAND SURVEYOR

UINTAH ENGINEERING & LAND SURVEYING

85 SOUTH 200 EAST - VERNAL, UTAH 84078

(801) 789 - 1017

SCALE 1" = 1000'	DATE SURVEYED DATE DRAWN 6-4-93 6-9-93		
PARTY G.S. K.K. J.L.G.	REFERENCES G.L.O. PLAT		
WEATHER WARM	FILE ENRON OIL & GAS CO.		

#### EIGHT POINT PLAN

#### NATURAL COTTON 11-20 SECTION 20, T9S, R21E UINTAH COUNTY, UTAH

#### 1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS & WATER ZONES:

FORMATIONS	DEPTH	TYPE ZONES	MAXIMUM PRESSURE
Green River		•	
Oil Shale	1,720′		
Mahogany Oil-			
Shale Bed	2,445′		
"H" Marker	3,258′		
"J" Marker	3,830′		
Base "M" Marker	4,601′		
M-II Zone	4,615′	Gas	2,100 PSI
M IV Zone	4,710′	Gas	2,100 PSI
N-Limestone	4,918′	Gas	
EST. TD	5,100′	Anticipated BHP	2,300 PSI

All depths are based on estimated KB elevation 4,811'. Maximum pressure estimates are based on bottom hole pressures measured on offset or near vicinity wells to the subject well.

3. <a href="PRESSURE CONTROL EQUIPMENT:">PRESSURE CONTROL EQUIPMENT:</a> BOP Schematic Diagram attached.

#### 4. CASING PROGRAM:

ONOTHE TROUBLE			MINIMUM SAFETY FACTOR
HOLE SIZE INTERVAL	LENGTH SIZE	WEIGHT GRADE	COLLAPSE BURST TENSILE
$12 \frac{1}{4}$ $0' - 240'$			1370 PSI 2950 PSI 263,000#
7 7/8" 0'-5100'	5100′ 4 1/2"	10.5# J-55 ST&C	4010 PSI 4790 PSI 146,000#

All casing to be used will be new or inspected.

#### 5. MUD PROGRAM:

MUD TYPE
Air
Air/Mist & Aerated Water
Aerated 3% KCl water or KCl substitute
Gel/polyacrylamide polymer w/5-10% LCM

Lost circulation probable from 1500' to  $3400'\pm$ . Sufficient mud inventory will be maintained on location during drilling to handle any adverse conditions that may arise.

#### **EIGHT POINT PLAN**

#### NATURAL COTTON 11-20 PAGE NO. 2

#### 6. **VARIANCE REQUESTS:**

- Enron requests a variance to regulations requiring a straight run blooie Α. line. (Where possible a straight run blooie line will be used, and where it is not possible two targeted tees will be used).
- Enron requests a variance to regulations requiring an automatic ignitor or Β. continuous pilot light on the blooie line. (Not required on aerated water system).

TD to 3150'

#### 7. **EVALUATION PROGRAM:**

Logs:

Dual Laterolog/GR

From base of surface casing to TD.

FDC-CNL/GR/Caliper Linear 2" DLL.

Cores:

None Programmed.

DST':

None Programmed.

Completion: To be submitted at a later date.

#### 8. ABNORMAL CONDITIONS:

None anticipated.

#### 9. STANDARD REQUIRED EQUIPMENT:

- Choke Manifold Α.
- Kelly Cock В.
- C. Stabbing Valve
- D. Visual Mud Monitoring

Attachment: BOP Schematic Diagram

NC11-20PP

/LW



## CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

DIVISION OF C" CAS & MINING

Company/Operator:	ENRON OIL & GAS COMPANY
Well Name & Number:	NATURAL COTTON 11-20
Lease Number:	U-0575
Location: 1000' FNL	<u>&amp; 1008' FWL NW/NW Sec. 20 T. 9S R. 21E</u>
Surface Ownership:	UTE INDIAN TRIBE

	NOTIFICATION REQUIREMENTS
Location Construction -	forty-eight (48) hours prior to construction of location and access roads.
Location Completion -	prior to moving on the drilling rig.
Spud Notice -	at least twenty-four (24) hours prior to spudding the well.
Casing String and - Cementing	twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and related - Equipment Tests	twenty-four (24) hours prior to running casing and tests.
First Production - Notice	within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

#### THIRTEEN POINT SURFACE USE PROGRAM

#### 1. EXISTING ROADS

A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing road.

B. The proposed well site is located approximately 10.5 miles southeast

of Ouray, Utah - See attached TOPO Map "A".

C. Refer to attached Topographic Map "A" showing labeled access route to location.

D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

#### 2. PLANNED ACCESS ROAD

- A. The access road will be 0.3 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/18 foot running surface.

C. Maximum grade on access road will be 5%.

D. No turn outs will be required.

- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges or major cuts & fills will be required.

G. The access road will be dirt surface.

H. No gates, cattleguards or fences will be required or encountered.

New or reconstructed roads will be centerline - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way. Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossing shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

A Right-of-Way application will be required.

As operator Enron Oil & Gas Company shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

#### LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF 3. PROPOSED WELL LOCATION

Water wells - None. Α.

Abandoned wells - None В.

Temporarily abandoned wells - None С.

Disposal wells - None D.

Drilling wells - None Ε.

Producing wells - Eleven - See attached TOPO Map "C" for location of F. producing wells.

Shut in wells - None G.

Injection wells - None Η.

#### LOCATION OF EXISTING/AND OR PROPOSED FACILITIES 4.

ON WELL PAD Α.

Tank batteries - None 1.

Production facilities will be set on location if well is 2. successfully completed for production. Facilities will consist of well head & valves, separator, dehy, 210 BB1 condensate tank, meter house and attaching piping. See attached facility diagram.

3. Oil gathering lines - None

A 3 1/2" gathering line will be buried from dehy to east 4. edge of location.

Injection lines - None 5.

- Disposal lines None 6.
- Surface pits None 7.

OFF WELL В.

Proposed location of attendant off pad gas flowlines shall 1. be flagged prior to archaeological clearance.

A 4 1/2" OD steel above ground natural gas pipeline will be 2. laid approximately 1600' + from proposed location to a point in the SW/NW of Sec. 20, T9S, R21E where it will tie into CIGE's existing line. Proposed pipeline crosses Ute Indian Tribe Lands, thus a Right-of-Way grant will be required. See attached Exhibit A showing pipeline route.

Proposed gas gathering pipeline will be a 4 1/2" OD steel, 3.

welded line laid on the surface.

Protective measures and devices for livestock and wildlife 4. will be taken and or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the north side of location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded. The required paint colors is Carlsbad Canyon.

5. LOCATION & TYPE OF WATER SUPPLY

A. Water supply will be from Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.s' water source in the SW/SW Sec. 35, T9S, R22E, Uintah County, Utah (State water right #49-1501).

B. Water will be hauled by Target Trucking Inc.

C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of location.
- B. All construction material will come from Ute Tribal Land.

C. No mineral materials will be required.

#### 7. METHODS OF HANDLING WASTE DISPOSAL

A. METHODS AND LOCATION

1. Cuttings will be confined in the reserve pit.

2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.

3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at an

approved waste disposal facility.

4. Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 days period, an application for approval of a permanent disposal method and location, together with the required water analysis, will be submitted for the AO's approval

5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on drilling

rig to avoid leakage of oil to pit.

B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in reserve pit or be removed and dispose of at an authorized disposal site. Introduction of well bore hydrocarbons to reserve pit will be avoided by flaring them off in flare pit at time of recovery.

Burning will not be allowed. all trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BIA administered land:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit).

To protect the environment.

If the reserve pit is lined the operator will provide the BIA a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.

\_ To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or

allow discharge of liquids.

Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production. After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

#### 8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

#### 9. WELL SITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills & cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approve on On-site.
- C. Refer to attached well site plat for rig orientation parking areas, and access road.

The reserve pit will be located on the southeast side of location.

The flare pit will be located downwind of the prevailing wind direction on the south side of location a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored on the southwest corner.

Access to the well pad will be from the east.

NA	Diversion ditch(es) shall be construct on the
	side of the location (above/below) the cut slope, draining to
	the
NA_	Soil compacted earthen berm(s) shall be placed on the
	side(s) of the location between the
<u>NA</u>	The drainage(s) shall be diverted around the side(s) of the well pad
	location.
NA_	The reserve pit and/or pad locations shall be constructed long and
	narrow for topographic reasons
NA	Thecorner of the well pad will be rounded off to
	avoid the

#### FENCING REQUIREMENTS

All pits will be fenced according to the following minimum standards:

- A. 39 inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total eight of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16'.
- E. All wire shall be stretched by using a stretching device before is be attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BIA or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BIA, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

#### 10. PLANS FOR RESTORATION OF SURFACE

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc., will be removed.

Contact appropriate surface management agency for required seed mixture.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BIA will attach the appropriate surface rehabilitation conditions of approval.

ON BIA Administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) reestablishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

#### 11. SURFACE OWNERSHIP

Access road:	<u>Ute</u>	<u>Indian</u>	<u>Tribe</u>	
Location:	Ute	Indian	Tribe	

12. OTHER INFORMATION

A. Enron Oil & Gas Company will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:

-whether the materials appear eligible for the National Register of historic Places;

-the mitigation measures the operator will likely have to undertake before the site can be used.

- -a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.
- -if the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guideline for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.
- B. As operator Enron Oil & Gas Company will control noxious weeds along Right-of-Ways for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds will be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization os obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for for stacking and storing drilling rigs.)

On BIA administered land:

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way authorization". All operators, subcontractors, vendors and their employees or agents may not disturb saleable timber (including firewood without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, and approved right-of-way will be obtained from BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by opertors on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (A) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members. (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted. All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footage or the quarter-quarter section, the section, township, and range).

Addition	<u>al Surface Stipulations</u> No construction or drilling activities shall be conducted between
<u>IVA</u>	andbecause of
<u>_NA</u> _	No surface occupancy will be allowed within 1,000 feet of any sage
	grouse strutting ground.  No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30
NA	There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers). No cottonwood trees will be removed or damaged. Pond will be constructed according to BLM specifications
_NA_	approximatelyftof the location, as flagged on onsite.

#### LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Enron Oil and Gas Company P.O. Box 1815 Vernal, Utah 84078 George McBride Telephone: (801) 789-0790

Enron Oil and Gas Company P.O. Box 250 Big Piney, Wyoming Jim Schaefer Telephone: (307) 276-3331

All lease/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. Enron Oil & Gas Company is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities

The BIA Office shall be notified upon site completion prior to moving on the drilling rig.

#### Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in the Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed here in will be performed by ENRON OIL & GAS COMPANY and its contractors and sub-contractors in conformity with this Plan and the terms and conditions under which it is approved.

6/21/93 DATE

GEORGE R. MCBRIDE PRODUCTION FOREMAN

lw NC11-20SUP



#### **DRILLING PROGRAM**

Date:March 11, 1993
REVISION NO. & DATE:
PROSPECT: NATURAL COTTON LEASE:
WELL NAME & NUMBER: Natural Cotton 11-20
WELL CLASSIFICATION: DW-GAS ANTICIPATED PRODUCTION: OIL GAS X OTHER
LOCATION CALL: 1000' FNL & 1008' FWL (NW NW)
Section 20, T9S, R21E
Uintah County, Utah
ELEVATION: 4800' GL, 4812' KB (estimated)
DIRECTION LIMITATIONS: Maximum deviation for the hole will be 6° w/no more
than a 1°/100' dogleg severity. See page number 4 for distance between
surveys.
TYPE RIG: Land Rotary APPROVED DEPTH: 5100' PERMIT DEPTH: 5100'
CONDUCTOR NEEDED? No If yes, size & how set:
CRITERIA FOR DETERMINING CASING SEAT FOR CRITICAL STRINGS: WOC overnight
before cutting off surface casing to weld on head.
CENTRALIZERS (DEPTH & TYPE):
Surface - One 5-10' above shoe & top of first, second & fourth joint.
Production - One @ middle of 1st jt & every other collar to 4200't.

#### WELL NAME: Natural Cotton 11-20

STAGE COLLARS, BASKETS, OTHER SPECIAL EQUIPMENT:
Surface - Guide shoe
Production - Guide shoe and differential fill float collar with top plug.
Marker joints @ 4000'±.
PUMPING RATES/SPECIAL INSTRUCTIONS: Circulate casing 13 hours prior to cementing. Reciprocate casing.
LOGGING PROGRAM: DLL/GR from TD to base of surface casing.
FDC/DSN/GR/caliper from TD to 3150'.
Continue caliper to desired top of cement.
CORES: None are anticipated.
SAMPLES: Collect 30' samples from below surface casing to 4550't. Collect 10'
samples from 4550'± to TD or at the discretion of the wellsite geologist.
FORMATION TESTS: None are anticipated.
MUD LOGGING: (Includes services & depth): From 3200'± to TD.
DETECTION & CONTROL EQUIPMENT: 10" 2000 psig BOP with blind and pipe rams.
10" Annular Preventor. 10" rotating head. Test manifold & BOP's to 2000 psig,
annular preventor to 1500 psig, surface casing to 1500 psig.
Use certified pressure testing service company and leave a copy of the
test chart in the doghouse until rig down. Functionally operate BOP daily,
blind rams on trips and record on the tour report.
COMPLETION PROGRAM: To be submitted at a later date.
OTHER SERVICES: None are anticipated.

wwt.t.	NAME:	Natural	Cotton	11-20	
MEILL	NAME	Naturai	COTTON	11-20	

#### FORMATION TOPS & DEPTHS (TENTATIVE)

FORMATION NAME & TYPE	ESTIMATED DEPTH (EL) DATUM	THICKNESS & REMARKS
	See attached Prognosis.	

X-MAS TREE: 11" 3000# weld on casing head, 7-1/16" 5000# x 11" 3000# tubing spool, 2-1/16" 5000# master valves.

#### MUD PROGRAM

DEPTH	INTERVAL	MUD WEIGHT	VIS	WL (cc)	TYPE OF MUD
0'	to 240'				Air
240'	to 4000'				Air/Mist & Aerated Water
4000'	to TD				Aerated 3% KCl water or KCl substitute.
	TD	8.5-9.2	38-45	10-15	Gel/polyacrylamide polymer w/5-10% LCM.

#### DRILLING HAZARDS & SPECIAL INSTRUCTIONS

Potential lost circulation from 1500' to 3400'± and potential water flow to 3000'.
Underbalanced circulation system will require rotating head. Potential gas kicks
in Green River and Wasatch. Potential shale swelling/sloughing problems. Meter
air & add foamer to maximize consistency of returns & maintain stable pit levels.
Utilize pack off head while running open hole logs. Mix 400-500 bbls mud @ TD as
above & displace hole prior to tripping for logs.

WELL NAME: Natural Cotton 11-20

#### CEMENT PROGRAM

HOLE SIZE	CASING 812E	DEPTH	CEMENT PROCEDURE
124"	85%11	2401	Cement w/110 sx Class "G" cement + 2% CaCl <sub>2</sub> + ½#/sx celloflake. Circulate gelled water ahead of slurry.
7%"	43"	5100'	Cover interval from TD to 4200'± w/50/50 Pozmix + 2% gel + 10% salt. Volume to be calculated from caliper log annular volume to 4200' plus 10% excess.
			Cover interval from 4200'± to depth specified in conditions of approval with light cement plus specified additives. Volume to be calculated from caliper log annular volume from 4200'± to applicable upper depth plus 5% excess.
			Circulate casing 2 hrs before cementing. Reciprocate casing during cementing. Pump 10 bbls mud flush ahead of slurry.

#### CASING PROGRAM

INTERVAL				WEIGHT			MINIMUM SAFETY PACTOR		
SIZE	FROM	TO	LENGTH	#/FT.	GRADE	THREAD	COLLAPSE (psig)	BURST (psig)	TENSILE (psig)
8-5/8"	0'	240'	2401	24.0	J-55	STC	1370	2950	263,000
4-1/2"	0'	5100'	5100'	10.5#	J <b>-</b> 55	ST&C	4010	4790	146,00 <b>0</b>

#### SURVEY SCHEDULE

DEPTH	DISTANCE BETWEEN SURVEYS	MAX DEVIATIONS FROM VERTICAL	MAXIMUM CHANGE DEGREES/100
0' to 240'	240'	1 degree	1 degree
240' to TD	500' (or as needed)	6 degrees	1 degree


PREPARED BY: Dennis

Brabeg, Division Drilling Manager

APPROVED BY:

Brabec, Division Drilling Manager

C. Parsons, Division Operations Manager



AMMULAR PREVENTOR AND BOTH RAMS ARE 2000 PSIG RATED. CASING FLANGE IS 9" 2000PSIG RATED. **BOPE 9" 2000 PSIG** 

#### TESTING PROCEDURE:

BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.


Blind & Pipe rams will be tested to rated working pressure, 2000 2. psiq.

Annular preventor will be tested to 50% of working pressure, 1500 3.

Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst 4. strength, whichever is greater.

All lines subject to well pressure will be pressure tested to the 5. same pressure as blind & pipe rams.

All BOPE specifications and configurations will meet Onshore Order 6. #2 requirements for 2000 psig BOPE specifications.





ROTATING


HEAD


AMBULAR


PLOW LINE











## WORKSHEET APPLICATION FOR PERMIT TO DRILL

DATE RECEIVED: 06/28/93 OPERATOR: ENRON OIL AND GAS COMPANY OPERATOR ACCT NO: N- 1401 WELL NAME: NATURAL COTTON 11-20 API NO. ASSIGNED: 1)-0575 LEASE NO: LEASE TYPE: FED LOCATION: NWNW 20 - T09S - R21E UINTAH COUNTY FIELD: NATURAL BUTTES (630) FIELD CODE: (63)LOCATION AND SITING: RECEIVED AND/OR REVIEWED: Plat R649-2-3. Unit: Bond R649-3-2. General. (Number Potash (Y/N) R649-3-3. Exception. Oil shale (Y)N Water permit (Number 49 Drilling Unit. Board Cause no: RDCC Review (Y/N) Date: 4.0)° (Date: ithin cause STIPULATIONS:





Governor
Ted Stewart (xecutive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

July 6, 1993

Enron Oil & Gas Company P.O. Box 1815 Vernal, Utah 84078

#### Gentlemen:

Re: Natural Cotton 11-20 Well, 1000' FNL, 1008' FWL, NW NW, Sec. 20, T. 9 S., R. 21 E., Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-6, (1953, as amended) and the order issued by the Board of Oil, Gas and Mining in Cause No. 197-1 dated April 29, 1982, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

- 1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
- 2. Notification within 24 hours after drilling operations commence.
- 3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
- 4. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
- 6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.



Page 2 Enron Oil & Gas Company Natural Cotton 11-20 Well July 6, 1993

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32430.

Sincerely,

R.J. Fifth

Associate Director, Oil and Gas

ldc

Enclosures

CC.

Bureau of Land Management

J.L. Thompson

WOI1

Form \$160-3 (November 1983) (formerly 9-331C)

## SUBMIT IN TRACEAT (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

UNITED STATES

Tever

FPARTMENT OF THE INTERIOR

(Ionnerly 9-331C)	DEPARTMENT	OF THE INT	ERIOR	ſ	5. LEASE DESIGNATION AND SERIAL NO.
•		LAND MANAGEM			U-0575
APPLICATION	FOR PERMIT	O DRILL, DEE	PEN, OR PLUG B	ACK	6. IF INDIAN, ALLOTTES OR TRIBE NAME UTE TRIBAL SURFACE
ia. TYPE OF WORK			PLUG BAC		7. UNIT AGREEMENT NAME
	LL 🛛	DEEPEN [	PLUG BAC	~ 🗆	•
OIL GA			SINGLE MULTIPE		S. FARM OR LEASE NAME
WELL WI	ELL LA OTHER				NATURAL COTTON
ENRON OIL &	GAS COMPANY			<u> </u>	9. WELL NO. 11-20
3. ADDRESS OF OPERATOR					10. FIELD AND POOL, OR WILDCAT
P.O. BOX 18	15, VERNAL,	UTAH 80478	ar State equivaments ()		NATURAL COTTON
4. LOCATION OF WELL (Re At surface			ly State requirements.	ŀ	11. SEC., T., E., M., OR SLE. AND SURVEY OR ABBA
1000' FNL &		NW/NW			
At proposed prod. son	•	4.	3-047-329	130	SEC. 20, T9S, R21E
4. DISTANCE IN MILES A	ND DIRECTION FROM NEA	REST TOWN OR POST OF	FICB*		12. COUNTY OR PARISH 13. STATE UINTAH UTAH
10.5 MILES	SOUTHEAST OF	OURAY, UTA	Н	12 12 1	
15. DISTANCE FROM PROPU LOCATION TO NEAREST	*d*		NO. OF ACRES IN LEASE	17. NO. O	FACEDS ASSIGNED 118 WELL 160
PROPERTY OR LEASE L (Also to nearest drig	, unit line, if any)	1000'±	1600±	20 20548	T OR CABLE TOOLS
18. DISTANCE FROM PROP TO NEAREST WELL, DI	RILLING, COMPLETED.	2892'±	PROPOSED DEPTH 5100'±	i	ARY
OR APPLIED FOR, ON THE	s lease, ft.	2092 ±			22. APPROX. DATE WORK WILL START
21. ELEVATIONS (Show whe 4799 GRADE					JULY 1993
23.	1	PROPOSED CASING	AND CEMENTING PROGRA	.M	
SIZE OF HOLE	BIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF CEMENT
12 1/4"	8 5/8"	24.0#	240'		SX CLASS "G" +2% CaCl2
7 7/8".	4 1/2"	10.5#	5100'		#/SX CELLOFLAKE. 50/5 IX + 2% GEL + 10% SALT
SEE ATTACHM	ENTS FOR:	The second secon	CEIVEU	TO 4 OF I LIGH	00' ABOVE ALL ZONES NTEREST (+ 10% EXCESS) T CEMENT ( 11 PPG±)
8 POINT PLA	ΔN	Control of the contro	SEP 0 3 1993	+ LC SHAL INTE	
BOP SCHEMAT			DIVISION PRO	JEL	DENTIVI
SURFACE USE LOCATION PI	E AND OPERATI LAT		GAS & MNING	41-1	DENTIAL
LOCATION LA	YOUT C MAPS "A", "	B" AND "C"	ENRON OIL	& GAS	COMPANY WILL BE THE
CAS SALES I	PIPELINE EXHI	BIT "A"	DESTGNATE	D OPER	RATOR OF THE SUBJECT
WELLSITE SO			WELL UNDE	R NATI	ON WIDE BOND #8130760
	-	1.			
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if an	drill or deepen direction	proposal is to deepen ally, give pertinent da	or plug back, give data on pi ta on subsurface locations ar	resent production of measured	uctive sone and proposed new productive i and true vertical depths. Give blowout
24. signed	isla I. W	all TITLE	SR ADMIN. CL	ERK	DATE 6/21/93
(This space for Fede	eral or State office use)				
PERUIT NO.	Man and	9	ASSISTANT DISCHOLLED		SEP 1 1993
CONDITIONS OF APPROV	ICE OF APPR	OVAL	C		NS OF APPROVAL ATTACHED OPERATOR'S COPY

\*See Instructions On Reverse Side

## U ED STATES GOVERNMENT

## memorandum

DATE:

REPLY TO ATTN OF: Superintendent, Uintah & Ouray Agency

SUBJECT:

Concurrence Letter for Enron Oil & Gas Company, ROW-H62-93-69, NC 11-20, NW1/4, Section 20, T. 9 S., R. 21 E., S.L.B.&M.

то:

Bureau of Land Management, Vernal District Office Attention: Mr. Paul Andrews, Area Manager

Based on available information received on <u>August 18, 1993</u>, we have cleared the proposed location in the following area of environmental impact.

YES_x	NO	Listed threatened or endangered species
YES x	NO	Critical wildlife habitat
YES x	ио	Archeological or cultural resources
YES	· NO	Air quality aspects (to be used only if project
<del></del>		is in or adjacent to a Class I area of attainment
YES	NO	Other (if necessary)

REMARKS: Environmental Analysis-6. MITIGATION STIPULATIONS
See Attached Environmental Assessment Report. This provides concurrance for wellsite, access road and pipeline. Mitigation shall be strictly adhered to.

Upon completion of construction, please submit an Affidavit of Completion with accompanying Certification so that we may record all pertinent documents at our Southwest Title Plant in Albuquerque, New Mexico.

If you have any questions regarding the right-of-way, you may contact Mr. Roland McCook, Realty Officer or Norman Cambridge, Realty Specialist at (801) 722-2406 Ext. 48/46.

Sincerely,

Superintendent.

RECEIVED

AUG 1 9 1993



SEP 0 3 1993

DIVISION OF OIL, GAS & MINING

#### COMBINED SITE SPECIFIC ENVIRONMENTAL ANALYSIS

#### 1.0 PROPOSED ACTION

Enron Oil & Gas Company is proposing to drill a natural gas well and construct 1596.70 of natural gas pipeline, and 0.3 mile of access road.

2.0	Δ1	LTERN.	ATIVE	Α	CTIONS
L			- I I V I I		

A.	ALTERNATIVE CONSIDERED: The proposed action is the prefe	rred alternative.
B.	NO ACTION: Under the no action alternative the proposed action be implemented.	would not
C.	OTHER: NA	
	3.0 PERMITTEE/LOCATION	RECEIVED
A. B. C. D. E.	Permittee Enron Oil & Gas Company  Date 06-08-93  Well No: Natural Cotton #11-20  Right-of-Way for a natural gas pipeline serving well #11-20  Site Location NWSW Section 20 T 9S R 21E Meridian SLB&M	AUG 1 9 <b>1993</b>
	4.0 SITE SPECIFIC SURVEY	
A.	SITE DESCRIPTION	ACCEIVE
	<ol> <li>Elevation (feet) <u>4800</u></li> <li>Annual precipitation (inches) <u>4-8</u></li> <li>Topography <u>Rolling hills.</u></li> <li>Soil Texture <u>Clay loam with gravel pavement</u></li> <li>Estimated infiltration rate: Slow <u>x</u> Moderate High</li></ol>	SEP 0 3 1993  DIVISION OF OIL, GAS & MINING
B.	VEGETATION	
	1. Habitat Type:  X Semi-Desert shrub Upland Pinion Upland shrub Mountain OTHER:	/Juniper
	2 Percent Ground Cover 35 %	

Observed Noxious Wee	eds: 1) None	2) 4)	
AFFECTED ENVIRO			
Initial survey:			
1. Surface damage	s as a result of the initial su	rvey: Yes X	
2. If answer to (1)	If answer to (1) is <u>yes</u> describe: <u>NA</u>		
	4.1 WILDLIFE		
POTENTIAL SITE UT	ILIZATION		
1. Big Game 2x_ Deer Elk Moose Bearx Antelope	. Small Game _x Rabbit _ Pheasant _x Dove _ Sage grouse _ Ruffed grouse _ Blue grouse _ Chuckar _ Partridge	3. Raptor/Bird  Bald eagle Golden eagle Ferruginous hawl Swanson hawk X Redtail hawk Perigrine falcon Prairie falcon Songbird	
4. Other 5 x Horsesx Cattle Sheep	. Non-game Wildlife  Reptile Prairie dog X Rodent X Coyote X Fox		
6. Threatened & Enda	ngered Species	·	
a. Observed Ti 1) <u>None</u>	nreatened & Endangered Sp	ecies: 3)	
	r Threatened & Endangered light Moderate		

#### 4.2 PRESENT SITE USE

USA	BE	
X	Rangeland Acres Irrigable land	
	Woodland Acres 2.09 Non-Irrigable land	
	Commercial Floodplain	
	Wetland	
	_ Riparian	
	4.3 CULTURAL RESOURCES	
CUL	TURAL SURVEY	
	rell site $\underline{x}$ , access road $\underline{x}$ , and pipeline right-of-way have been clearly a repeated and a repeated an	
a qua	ified archaeologist/paleontologist. Name & Organization:	
	5.0 ENVIRONMENTAL IMPACTS	
A.	SURFACE ALTERATIONS	
	1. Access road <u>0.04</u> Acres	
	2. Well site <u>1.32</u> Acres	
	3. Right-of-way <u>0.73</u> Acres	
	4. Total disturbed 2.09 Acres	
B.	VEGETATION/LANDSCAPE	
	1. Production loss (AUM'S): 0.01 year	
	2. Permanent scar on landscape: X Yes No	
	3. Potential impacts to Threatened & Endangered species: Ye	s <u>X</u>
C.	SOIL/RANGE/WATERSHED	
	1. Increased Soil erosion, wind <u>x</u> Yes <u>N</u>	То
	,	No
		No
	——————————————————————————————————————	No
	5. Reduced irrigated cropland Yes x	No
		No
	7. Potential point source water pollution Yes x	
	8. If answer to (8) is <u>Yes</u> describe: <u>The access road crosses the Co</u>	ttony
	Wash. Floodplain	

#### D. WILDLIFE THREATENED & ENDANGERED SPECIES

1.	Decreased wildlife habitat/grazing	<u>x</u> Yes No
2.	Potential increase in wildlife disturbanceq	
	and poaching	<u>x</u> Yes No
3.	Potential impacts to Threatened & Endangered	,
	species	Yes <u>x</u> No
4.	Potential threat to critical wildlife habitat	Yes <u>x</u> No
	a. If answer to (4) is yes, describe:	
	•	

#### **6.0 MITIGATION STIPULATIONS**

#### A. VEGETATION/LANDSCAPE

- 1. Before the site is abandoned the company will be required to restore the well pad, access road, and pipeline right-of-ways to near their original state. The disturbed area will be reseeded with desirable perenial vegetation.
- 2. Noxious weeds will be controlled on all well sites and right-of-ways. If noxious weeds spread from the well sites or right-of-way onto adjoining land, the company will also be responsible for their control.
- 3. After the pipeline has been constructed and the right-of-way re-seeded, vehicular travel over the right-of-way will be limited to that which is absolutely necessary for the maintenance of the pipeline.
- 4. Surface pipelines will be constructed by using the following procedures:
  - a. Staging areas will be set up along roads or well sites. The pipeline will be welded in place at the staging area.
  - b. As the pipeline is welded it will be pulled to the next staging area by a suitable piece of equipment. Except for unusual conditions only one trip across the right-of-way with equipment is all that will be required.
- 5. Paleontology To protect paleontology resources, surface pipeline contruction will not occur when the soil is muddy. It will occur when the soil is either frozen, or dry.
- 6. Prior to constructing the access road and pipeline across Cottenwood wash approval must be acquired from the U.S. Corp of Engineers.

#### B. SOIL/RANGE/WATERSHEDS

l.		il erosion will be mitiga lowing practices:	ted by reseedi	ng all d	isturbed	areas and by ins	tailing the	
	a. b. c. d. e. f. g. h. i. j.	Diversion ditches Dikes Desilting ponds Drop structure Gully plugs Low water crossing Culverts Water bars Fencing Cattleguards	Yes Yes Yes Yes Yes X Yes Yes Yes Yes Yes Yes Yes X Yes		No N	Feet Feet Number Number Number Number Number Number Number Number Number		
	K.	Other, describe: NA			<del></del>			
	-						<del></del>	
2.		It and pollution loading quiring the oil company		i geolog	gicial for	rmations will be i	nitigated by	
	b.	Line reserve pits with Use a closed drilling sy 1. Reason(s):Use a closed production	ystem	Yes	_x_ N	lo 		
	-	1. Reason(s):						
	d.	Use a unlined emergen  1. Use a synthetic line  2. Use a man made co  3. Reason(s):	er ontainer	Yes Yes		10 10		
	e.	Production water, oil, for the control of dust tribal lands will not be	or weeds. In					
3.	the	hen the well is plugged e well pad and access ro Incorporated into the s	ad will be: a.	. haule	d off: _		uled in to constru x No	ıct

#### C. WILDLIFE/VEGETATION/THEATENED & ENDANGERED SPECIES

1.	Upon Identification of	Threatened	&	Endangered	species,	the	following	measure
	will be applied: <u>NA</u>							

2. Modifications to surface use will be implemented to protect the specific wildlife species encountered.

#### D. CULTURAL RESOURCES

All well sites, access roads, and pipeline right-of-ways will be cleared by a qualified archaeologist/paleontologist so that cultural sites will be avoided or salvaged.

#### 7.0 UNAVOIDABLE ADVERSE IMPACTS

#### A. SURFACE ALTERATIONS

None of the adverse impacts listed in 5.0 above can be avoided in a practical manner except those which are mitigated in item 6.0 above and those specific in BLM's 13 point surface use plan.

## B. RELATIONSHIP BETWEEN SHORT-TERM USE OF THE ENVIRONMENT VS LONG TERM PRODUCTIVITY.

- 1. Short Term: (Estimated 20 years) A total loss of production on the land and the associated environmental impacts will continue to influence the surrounding area for the productive life of the well.
- 2. Long Term: Standard policies provide for rehabilitation of the well sites and access road. After the land is rehabilitated, it is not expected to return to its original productive capability. Normally, there will be a permanent scar left on the landscape.

#### C. IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT

Oil and Gas are non-renewable resource, once they have been removed they can never be replaced.

#### 8.0 CUMULATIVE IMPACTS

#### A. FULL DEVELOPMENT

Each additional well drilled for development increases th esoil erosion potential, reduces wildlife habitat and grazing, increases potential soil and geological pollution resulting from salt loading, reduces the soil's potential to recover, and increases the potential of water pollution from produced waters and hydro-carbons. Therefore, strict conformance with the mitigation measures and recommendations in this document in emphasized to minimize the adverse environmental impacts.

#### 9.0 NEPA COMPLIANCE

ı.	Α.	RESEARCH/DOCUMENTATION
		Based on available information, <u>06-08-93</u> , the proposed location in the following areas of environmental impacts has been cleared:
		x       Yes       No       Listed Threated & Endangered species         x       Yes       No       Critical Wildlife habitat         x       Yes       No       Historical and Cultural resources
		10.0 NEPA COMPLIANCE
	A.	SURFACE PROTECTION/REHABILITATION
		All essential surface protection and rehabilitation requirements are specified above.  11.0 RECOMMENDATIONS
A.	APPR	OVAL/DISAPPROVAL
		commend approval $\underline{x}$ disaproval of the proposed action as outlined in .0 above.
7-	- 8-	93 Dale S. Hanber
DATE		Representative, BIA Land Operations, Uintah & Ouray Agency
		12.0 REVIEWING OFFICIAL
A.	CONC	CURRENCE
		oncur with the approval of the proposed action as ed in item 1.0 above.
·		118/13 Harry Ore
DATE		Environmental Coordinator, Uintah & Ouray Agency

#### A. APPROVAL

It has been determined that the proposed action is not a federal action significantly affecting the quality of the environment as it would require the preparation of an environmental impact statement in accordance with section 102 (2) (c) of the National Environmental Polity Act of 1969 (42 USC 4331) (2) (C).

7/8/93 DATE/

Superintendent, Uintah & Ouray Agency

#### 14.0 CONSULTATION

- 1. Bradley Longhair, Ute Tribal Energy & Minerals
- 2. Alvin Ignacio, Ute Tribal Energy & Minerals
- 3. Byron Tolman, Bureau of Land Management
- 4. Ed Trotter, Enron Oil & Gas Representative
- 5. Dale S. Hanberg, Bureau of Indian Affairs
- 6.
- 7.
- 8. 9.
- 10.

#### WELL LOCATION INFORMATION

Company/Operator: Enron Oil and Gas Company
API Number <u>43-047-32430</u>
Well Name & Number: Natural Cotton 11-20
Lease Number: <u>U-0575</u>
Location: NWNW Sec. 20 T.9 S. R.21 E.
Surface Ownership: <u>Tribal</u>
Date NOS Received <u>5/26/93</u>
Date APD Received 6/21/93

#### NOTIFICATION REQUIREMENTS

Location Construction	-	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion	-	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well.
Casing String and Cementing	-	at least twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related Equipment Tests	-	at least twenty-four (24) hours prior to initiating pressure tests.
First Production Notice	-	within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

#### CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company	Enron	Oil & Ga	s Co	ompany	7	Well	No.	<u>Natural</u>	Cotton	11-20
Location	n NWNW	Section	20,	T9S,	R21E	Lease	≥ No.	<u>v - 0575</u>	<u> </u>	

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

#### A. DRILLING PROGRAM

 Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

#### 2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for a 2M system for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

#### 3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at  $\pm$  1.514 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

#### 4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

#### 5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to  $\pm$  1,514 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

#### 6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test sold or which a run ticket is required to be generated or, the tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product in Onshore of the security of the security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

#### 7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka (801) 781-1190
Petroleum Engineer

Ed Forsman (801) 789-7077
Petroleum Engineer

BLM FAX Machine (801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

#### Additional Surface Stipulations

#### 6.0 MITIGATION STIPULATIONS

#### A. VEGETATION/LANDSCAPE

- 1. Before the site is abandoned, the company will be required to restore the well pad, access road, and pipeline right-of-way to near their original state. The disturbed area will be reseeded with desirable perennial vegetation.
- Noxious weeds will be controlled on all well sites and rights-of-way. If noxious weeds spread
  from the well sites or rights-of-way onto adjoining land, the company will also be responsible for
  their control.
- 3. After the pipeline has been constructed and the right-of-way re-seeded, vehicular travel over the right-of-way will be limited to that which is absolutely necessary for the maintenance of the pipeline.
- 4. Surface pipelines will be constructed by using the following procedures:
  - a. Staging areas will be set up along roads or well sites. The pipeline will be welded in place at the staging area.
  - b. As the pipeline is welded, it will be pulled to the next staging area by a suitable piece of equipment. Except for unusual conditions, only one trip across the right-of-way with equipment is all that will be required.
- 5. Paleontology To protect paleontology resources, surface pipeline construction will not occur when the soil is muddy. It will occur when the soil is either frozen or dry.
- 6. Prior to constructing the access road and pipeline across Cottonwood Wash, approval must be acquired from the U.S. Corp. of Engineers.
- 7. Line reserve pits with impervious synthetic liners.

#### DIVISION OF OIL, GAS AND MINING

#### SPUDDING INFORMATION

NAME OF	COMPANY: ENRON		
WELL NAM	E: NATURAL COTTON 11-2	20	
API NO	43-047-32430		
Section_	20 Township 98	Range <u>21E</u>	County_UINTAH
Drilling	Contractor CHANDLI	ER	
Rig #			
SPUDDED:	Date_10/11/93	-	4
	Time_10:00_AM	· -	
	How_DRY_HOLE	_	
Drilling	will commence		<del></del>
Reported	by ED TROTTER		_
Telephon	e # <u>1-789-0790</u>		_
Date	10/13/93	SIGNED	JLT

STATE OF	UTAII		
DIVISION	OF OIL,	GAS AND	MINING
ENTITY	ACTION	FORM -	FORM 6

OPERATOR ENRON OIL & GAS CO.

ADDRESS P.O. Box 1815

OPERATOR ACCT. NO. N 040/

Versel III-b 040

Vernal, Utah 84078

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER		WELL NAME	QQ	SC	WELL TP	LOCATIO RG	N COUNTY	SPUD DATE	EFFECTIVE DATE
A	.99999	11534	43-047-32430	NATURAL	COTTON 11-20	NWNW	20	9S	21E	UINTAH		10/11/93
WELL 1 C	OMMENTS:					· · · · · · · · · · · · · · · · · · ·	·	- <del>'</del>	,		1 10/11/33	110/11/55
		·	·									
2 C	OMMENTS:						***************************************		<del></del>		·	
WELL 3 C	OMMENTS:		•	• .				·····	·			
					•							
WELL 4 C	DMMENTS:	•					***************************************	,				
		·		2	•							
WELL 5 C	DHMENTS:											
	)PCC / C :-		-									

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

KECEIVE

OCT 1 4 1993

Title

Sr. Admin.Clerk

10/12/93

Date

Phone No. ( 801) 789-0790

DIVISION OF OIL, GAS & MINING

# **ENRON**Oil & Gas Company

P.O. Box 250 Big Piney, Wyoming 83113 (307) 276-3331

October 12, 1993

Mr. Ed Forsman Bureau of Land Management Vernal District 170 South 500 East Vernal, Utah 84078

RE: SPUDDING

NATURAL COTTON LEASE: U-0575

SEC. 20, T9S, R21E UNITAH COUNTY, UTAH

Dear Mr. Forsman:

Please find attached a Sundry Notice for the spudding of the subject well.

If further information is required, please contact this office.

Sincerely,

C.C. Parsons

Division Operations Manager

kt

cc: Utah Board of Oil, Gas and Mining

D. Weaver T. Miller Vernal Office File

OCT 1.5 1993

DIVISION OF OIL, GAS & MINING FORM 3160-5 (December 1929)

## UP ED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

#### SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals"

SUBMIT IN TRIPLICATE

FC	ORM APPROVED
Bu	dget Bureau No. 1004-0135
Ex	pires September 30, 1990
5.	Lease Designation and Serial No. U-0575
6.	If Indian, Allottee or Tribe Name UTE TRIBAL UNIT
7.	If Unit or C.A., Agreement Designation
8.	Well Name and No.
4	

	01111	- · · · · · · · · · · · · · · · · · · ·
1. Type of Well		
Oil Gas		0 77.83
Well X Well	Other	8. Well Name and No.
2. Name of Operator		NATIONAL COMPONIAL SA
ENRON OIL & GAS COMPANY		NATURAL COTTON 11-20
3. Address and Telephone No.		9. API Well No.
P.O. BOX 250, BIG PINEY, WY 83113	(307) 276-3331	43-047-32430
4. Location of Well (Footage, Sec., T., R., M., or Survey Descri	ption)	10. Field and Pool or Exploratory Area NATURAL COTTON
1000' FNL - 1008' FWL NW/NW		11. COUNTY STATE
SECTION 20, T9S, R21E		UINTAH UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE O	OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION	
NOTICE OF INTENT	ABANDONMENT	CHANGE OF PLANS
<u>—</u>	RECOMPLETION	NEW CONSTRUCTION
X SUBSEQUENT REPORT	PLUGGING BACK	NON-ROUTINE FRACTURING
_	CASING REPAIR	WATER SHUT-OFF
FINAL ABANDONMENT NOTICE	ALTERING CASING	CONVERSION TO INJECTION
· <del></del>	X OTHER SPUDDING	
	· ·	

er Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

Enron Oil & Gas Company spudded a 12-1/4" surface hole at the subject location at 10:00 am, 10/11/93. The contractor was Leon Ross Construction & Drilling, Inc. Ed Forsman with the BLM and Dennis Ingram with the UOGM were notified of the spud on 10/11/93.



DIVISION OF OIL, GAS & MINING

14. I heeby certify that the foregoing is tr SIGNED	ie and correct.  TITLE	Engineering Clerk	DATE	10/13/93			
(This space for Federal or State office use)			<del> </del>				
APPROVED BY	TITLE		DATE				
CONDITIONS OF APPROVAL, IF ANY:							
Title 18 U.S.C. Section 1001, makes it a cu United States any false, fictitious or fraud	ime for any person knowingly and wil dent statements or representations as t	lfully to make to any dep o any matter within its ju	artment or agency of the urisdiction.				

FORM 3160-5 (December 1989)

Type of Well

Name of Operator

Oil

Well

Address and Telephone No.

## UNIT STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

#### SUNDRY NOTICE AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals"

Gas

Well

X

P.O. BOX 250, BIG PINEY, WY 83113

Location of Well (Footage, Sec., T., R., M., or Survey Description)

ENRON OIL & GAS COMPANY

•	udget Bureau No. 1004-0135
	Expires September 30, 1990
	5. Lease Designation and Serial No. U-0575
	6. If Indian, Allottee or Tribe Name UTE TRIBAL SURFACE
	7. If Unit or C.A., Agreement Designation
-	8. Well Name and No.  NATURAL COTTON 11-20
	9. API Well No. 49-047-32430
	10. Field and Pool or Exploratory Area

DRM APPROVED

1000' FNL - 1008' FWL NW/NW	NATURAL COTTON
	11. COUNTY STATE
SECTION 20, T9S, R21E	UINTAH UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATU	RE OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION
NOTICE OF INTENT	ABANDONMENT CHANGE OF PLANS RECOMPLETION NEW CONSTRUCTION
X SUBSEQUENT REPORT	PLUGGING BACK CASING REPAIR NON-ROUTINE FRACTURING WATER SHUT-OFF
FINAL ABANDONMENT NOTICE	ALTERING CASING CONVERSION TO INJECTION
	X OTHER FIRST SALES
	(Nete: Report results of multiple completion on Well Completions

Other

(307) 276-3331

Is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

FIRST SALES: 1/12/94, 1278 MCFD, 18/64" CHOKE, FTP 450 PSIG, CP 675 PSIG.

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well

JAN 1 8 1994

DIVISION OF OIL, GAS & MINING

14. I heeby certify that the foregoing is true and correct. SIGNED	TITLE	Engineering Clerk	DATE	01/13/94			
(This space for Federal or State office use)							
APPROVED BY	TITLE		DATE				
CONDITIONS OF APPROVAL, IF ANY:							
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							

## UNITED STATES



Expires August 31, 1985
LEASE DESIGNATION AND SERIAL NO.

DATE

01/25/94

#### .IAN 2 7 1994 DEPARTMENT OF THE INTERIOR

U-0575 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

UTE TRIBAL UNIT
7. UNIT AGREEMENT NAME

		DIVISION OF
BUREAU OF LAND	MANAGEME <b>NT</b>	GAS & MINING

	E	UREA	J OF L	AND MA	<u>ANA</u>	GEME	STL.	GAS &	MIN	ING	7. CIVIT AGA	25415141 142		
WELL	COMP			RECOMPL							8. FARM OR I		_	N.
la. TYPE OF WELL			OIL WELL	GAS WELL	\(\sqrt{\sq}\sqrt{\sq}}\sqrt{\sq}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}	DRY		OTHER			9. WELL NO. 11-20			
b. TYPE OF COMPL	ETION:	OVER	DEEPEN	PLUG BACK		DIFF.RES.		OTHER			10. FIELD AN	D POOL, O	R WILDCAT	<u> </u>
2. NAME OF OPERA	TOR												OCK AND SUR	
		ENRON	OIL &	GAS CON	/PAI	NY				1	SECTIO	ON 20	), T9S,	R21F
3. ADDRESS OF OP	ERATOR					<del></del>			<del></del>		12. COUNTY			13. STATE
1 LOCATION OF THE	mar 1 (m - 1	P.O. B	OX 250	BIG PII	NEY,	WYOM	ING	83113	}		UINTA			UTAH
	•	•			s)*						14. PERMIT			
	1000' FNL		WL NW/	NW						-	43-047-3			
	rvai repaned belov	•									DATE PERMIT	I ISSUED		
At total depth 15. DATE SPUDDED		16. DATE T.D.	REACHED		7 DATE	COMPL. (Ready t	d \	18. BLEVATIO	Ne (DE D	VP PT CD	7/6/93	O PLES C	ASINGHEAD	
10/11/93		į		ľ		_	o proa.)				"BIC.)"			
20. TOTAL DEPTH, 1	MD & TVD		28/93 EK T.D., MD &	TVD		12/94 22. IF MULTIPL	P COMPLE	<u> </u>	810' K		3. ROTARY TO		9' PGL	CABLE TOOLS
						ZZ. IF MULTIPL		SILONS, HOW	MANI	ľ				CABLE TOOLS
5135' KB	PRVAL(S) OF	1	5034' KB	OM. NAME (MD AN	D. TODA		1				ROTAR			
				OM. NAME (MD AN	U (VU)-							25. W	AS DIRECTIONA	AL SURVEY MADE?
4674-		REEN RIV	ER	<del></del>									NO	
				293								27.W	AS WELL CORE	307
DIL/F	DC/DSN/C	3R-CALIP	ER 12	-3-93								<u> </u>	МО	
28.			<del></del>			CASING RE	CORD (	Report all st	rings set	t in well	)			
CASING SIZE	WEIGHT, L.B.		DEP	TH SET (MD)		HOLE ST	ZE	CEMENTE	NG RECOR	<u> </u>				AMOUNT PULLED
8-5/8"	24# J-	-55 ST&C	23	<u>7' KB</u>		12-1/4"		125 SX (	CLASS	3 "G"				NONE
4-1/2"	10.5#	J-55 ST&	C 51	20' KB		7-7/8"	·	130 SX	HI LIF	T "G"	. "G"			NONE
								590 SX 5	50/50 P	POZM	IX "G"			
29.	<del></del>	LINE	R RECORI	<u> </u>			30.		- Throndon		UBING RE	CORD		
STZB TO	P (MD)	воттов	A (MD)	SACKS CEMEN	rr sci	REEN (MD)	SIZ	В			DEPTH SET (		····	PACKER SET (MD)
							2-3	3/8"		4766' KB				NO
														<del>                                     </del>
31. PERFORATION R	ECORD (Interval	, size and sumber	)				32.		ACID. S	нот. г	RACTURE	. CEME	NT, SQUEE	ZE, RTC.
							DEPTH I	NTERVAL (MI	<del></del>				ATERIAL USE	
GREEN RIV	ER: 4674-	4696' W/2	2 SPF				4674-							ed, 2% KCI wate
							10.1	7070						16/30 RC sand.
											pressure			10/00 RC Suita.
										TOTAL	prossure	1500 p	7151	<del></del>
33.•				-			PRODU	CTION						
DATE FIRST PRODU	CTION	PRODUCTION	METHOD (Flow	wing, gas lift, pumping-	eize and ty	pe of pump)	FRODU	CHON			V	VELL STAT	US (Producing or	shue-in)
1/12/94		<u>]</u>	FLOW	ING								PRO	DUCING	
DATE OF TEST	HOURS TE		HOKE STZE	PROD'N FOR	1	OIL BBL.		. <u> </u>	GAS-1	MCF.			ATER-BBL.	GAS-OIL RATIO
1/25/94 FLOW, TUBING PRE	24 HF		19/64"	TEST PERIOD		0 BO			214 M	CFD			BW	
	i	NG PRESSURE		CALCULATEED		OIL-BBL	•		MCF.		WATER-	BBL.	OIL C	RAVITY-API (CORR.)
430 PSIG 34. DISPOSITION OF	GAS (Sold, used		tc.)	24-HOUR RATE		0 BO		12	214 MC		28 BW TEST WITNES	SED BY		
		SOLD	•								JAY ORF			
35 LIST OF ATTACH	LICENTE										IN LOW			

TITLE ENGINEERING CLERK

\*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001. ma its jurisdiction.

NONE

SIGNED



#### **INSTRUCTIONS**



General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State Lives coss. Any necessary special instructions concerning the use of this form and the number of cosies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be and regulat issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below reparting separate reports for separate comp

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which ele ation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this will is completed for separate production from more than one interval zone (multiple completion), so state in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in tiem 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Hem 29: Sacks Co Attached supplemental records for this well should show the details of any multiple stage comenting and the location of the comenting tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

#### PRIVACY ACT

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connectionwith information required by tis application.

AUTHORITY: 30 U.S.C. 181 et. seq., 25 U.S.C. et. seq., 43 CFR 3160

PRINCIPLE PURPOSE: The information is to be used to evaluate the actual oper ons performed in the drilling of an oil or gas well on a Federal or Indian lease

ROUTINE USES: (1) Evaluate the equipment and procedures used during the drilling of the well. (2) The review of geologic zones and formation encountered during drilling. (3) Analyze future applications to drill in light of data obtained and methods used. (4)(5) Information from the record and/or the record will be transferred to appropriate Federal. State, local or foreign agencies, when relevant to civil, oriminal or regulatory investigations or prosecutions EFFECT OF NOT PROVIDING INFORMATION: Filing of this report and disclosure of hts information is mandatory once as oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected to allow evaluation of the technical, safety, and environmental factors involved with drilling and producing oil and gas on Federal and indian oil and gas leases.

This information will be used to analyze operations and compare equipment and procedures actually used with the proposale applied for.

Response to this request is mandstory once an oil or gas well is drilled.

MMARY OF POROUS ZONES: (Show all important zones of porosity denotes thereof; cored intervals; and all drill-stem tests, including depth erval tested, cushion used, time tool open, flowing and shut-in pressures,				38. GEOLOGIC MARKERS					
d recoveries):				TOP					
FORMATION	TOP	воттом	DESCRIPTION, CONTENTS, ETC.	NAME GREEN RIVER	MEAS, DEPTH	TRUE VERT. DEPTI			
				H MARKER	3232'				
				1	4578'				
				BASE M MARKER M II ZONE	4589'				
				M III ZONE	4618'				
				N LIMESTONE	4889'				
				N LIMESTONE	4007				
	1								
				·					
	Ì								
					•				
	1								
		İ							
	,								

# UTAH DIVISION OF OIL, GAS AND MINING INSPECTION RECORD

Operator: Enron Oil & Gas Lease Number: U-0575	_
Well Name: Natural Cotton API Number: 43-047-32430	
Sec: 20 Twp: 9S Rng: 21E County: Uintah Field: Natural Buttes	
Mall Chatters DCW	
First report or production	
GENERAL	Inspected (🖍)
1. Well Identification	
2. Well Equipment	X
3. Environmental Protection	X
4. Temporary/Emergency Pits	X
5. Spills, Discharges, Seepage	
Remarks: Well sign correct and posted. Wellhead, dehydrator,	heated
seperator, condensate tank. No spills or leaks.	
OIL PRODUCTION	Inspected (🗸)
1. Method of Measurement: Tank Gauge 🔀 LACT Unit 🗌 Other 🗌	X
2. Storage Facilities	X
3. Lines Leaving Storage Facilities Sealed/Locked	X
4. Oil Handling/Treatment Equipment	X
Remarks: One 210 barrel condensate tank. Tank has adaquate be	rm
and valves are sealed.	
GAS PRODUCTION	Inspected (🗸)
1. Type of Gas Production: Gas Well 🔯 Casinghead 🗆	X
2. Gas Disposition: Sold □ Flared/Vented □ Used on Lease □ Other □	X
3. Method of Measurement: Orifice Meter ☑ Turbine Meter ☐ Estimated ☐ Other ☐	Х
4. Gas Handling/Treatment Equipment	Х
Remarks: Recorder is dehi house shows gas sales. Chart is cur	rent
600 psi on tubing, 600 psi on casing.	
PRODUCED WATER DISPOSAL	Inspected (✓)
1. Disposal Method: Unlined Pit Lined Pit Subsurface Other	X
2. If Disposal by Pits, Are Pits Satisfactory? Yes 🗍 No 🗍	X
3. Other E & P Waste Disposal	X
Remarks: Reserve pit is still open and holds 650 barrels of	fluid.
Should be reclaimed in the summer. No disposal pit.	
Inspector: David W. Hackford Date: 1/31/94	

# UTAH DIVISION OF OIL, GAS AND MINING EQUIPMENT INVENTORY



Operator: Enron Oil & Gas Lease: State: Federal: X Indian: Fee: DIVISION OF
Well Name: Natural Cotton 11-20 API Number: 43-047-32 Pib GAS & MINING
Section: 20 Township: 9s Range: 21E County: Wintah Field: Natural Buttes
Well Status: PGW Well Type: Oil: Gas: X
PRODUCTION LEASE EQUIPMENT: X CENTRAL BATTERY:
1       Well head       Boiler(s)       Compressor       Separator(s)         1       Dehydrator(s)       Shed(s)       Line Heater(s)       Heated Separator         VRU       Heater Treater(s)
PUMPS: Triplex Chemical Centrifugal
LIFT METHOD: Pumpjack Hydraulic SubmersibleX Flowing
GAS EQUIPMENT:
Gas Meters Purchase MeterX Sales Meter
TANKS: NUMBER SIZE
Oil Storage Tank(s)         BBLS           Water Tank(s)         BBLS           Power Water Tank         BBLS           1 Condensate Tank(s)         210         BBLS           Propane Tank         BBLS
REMARKS: Tank has adaquate berm and valves are sealed.
Location central battery: Qtr/Qtr: Section: Township: Range: Inspector: David W. Hackford Date:
III Decitor.


Natural Cotton 11-20 Narth 43-097-32430 sas Tine Meter Delydystor 210 barrel tark Lested Seperator Berm Reserve Access

Oil Well Other  2. Name of Operator ENRON OIL & GAS COMPANY  3. Address and Telephone No. P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790  4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1000 FNL & 1008 FWL NW/NW SEC. 20, T9S, R21E  8. Well Name and No. NATURAL COTTON 11- 9. API Well No. 43-047-32430  10. Field and Pool, or Exploratory Area NATURAL COTTON  11. County or Parish, State UINTAH/UTAH		DEPARTMEN	-	NTERIOR			FORM APPROVED Budget Bureau No. 1004-01 Expires: March 31, 1993	
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals  SUBMIT IN TRIPLICATE  1. Type of Well	E	BUREAU OF L	AND MANA	GEMENT		3.	. •	).
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.    Use "APPLICATION FOR PERMIT—" for such proposals   UTE TRIBAL SURFACE	SUNDR	Y NOTICES	AND REPO	RTS ON WEL	LS	6.		<del></del>
SUBMIT IN TRIPLICATE  1. Type of Well	Do not use this form for pr	oposals to dri	II or to deep	en or reentry t	o a different reserv		at mann, and the tree tree	~
SUBMIT IN TRIPLICATE    Type of Well	Use "APPL	LICATION FOR	R PERMIT—"	for such prop	osais		UTE TRIBAL SU	RFACE
Second   Control   Contr		SUBMIT	IN TRIPLIC	ATE		7.	If Unit or CA, Agreement Design	gnation
2. Name of Operator ENRON OIL & GAS COMPANY 3. Address and Telephone No. P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790 4. Location of Well (Footage, Sec. T., R., M., or Survey Description) 1000' FNL & 1008' FWL NW/NW SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION    Notice of Intent	i. Type of Well		<del></del>				NATURAL COTTO	1
2. Name of Operator ENRON OIL & GAS COMPANY 3. Address and Telephone No. P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790 4. Location of Well (Footage, Sec. T., R., M., or Survey Description) 1000' FNL & 1008' FWL NW/NW SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION    Notice of Intent	Oil Gas Other							
3. Address and Telephone No. P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790 4. Location of Well (Footage, Sec. T. R. M., or Survey Description) 1000' FNL & 1008' FWL NW/NW SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION    Notice of Intent	2. Name of Operator	· · · · · · · · · · · · · · · · · · ·				- L		V 11-2
P.O. BOX 1815, VERNAL, UTAH 84078 (801) 789-0790  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  1000' FNL & 1008' FWL NW/NW  SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent   Abandonment   Change of Plans   New Construction   New Construction   New Construction   New Construction   New Construction   New Construction   Conversion to Injection   Other REVISED   Water Shut-Off   Conversion to Injection   Dispose Water   Other REVISED   DIAGRAM   New Conspletion Report   Dispose Water   Other REVISED   Dispose Water   Other Revised and true vertical depths for all markers and zones pertinent of this work.)*  Attached please find a revised wellsite diagram for referenced well.		COMPANY				9. /	API Well No.	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  1000 ' FNL & 1008 ' FWL NW/NW  SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Subsequent Report  Final Abandonment Notice  Altering Casing Other REVISED WELLSITE  DIAGRAM  Diagnose Water (Note, Report agive subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Attached please find a revised wellsite diagram for referenced well.						l		
1000' FNL & 1008' FWL NW/NW  SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  Notice of Intent  Recompletion  Plugging Back Casing Repair  Altering Casing Cother REVISED WELLSITE DIAGRAM  Dispose Water (Note: Report results of multiple completion on Water (Note: Report results of multiple completion of Water (Note: Report results of multiple completion on Water (Note: Report results of multiple completion on Water (Note: Report results of multiple completion on Water (Note: Report results of water (Note: Report results))  Attached please find a revised wellsite diagram for referenced well.				78 (801)	789-0790			
SEC. 20, T9S, R21E  2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent						l		
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION    Notice of Intent			IW/NW			"	County of Farming Care	
TYPE OF SUBMISSION    Notice of Intent	SEC. 20, 195, R	21E					UINTAH/UTAH	
Notice of Intent    Notice of Intent   Abandonment   Recompletion   New Construction   New Construction   New Construction   Non-Routine Fracturing   Water Shut-Off   Casing Repair   Conversion to Injection   Altering Casing   Dispose Water   Dispose Water   Notice Report   Notice Report   ReVISED   WELLSITE   Dispose Water   Notice Report results of multiple completion on Well   Completion or Recompletion or New Conversion to Injection   Dispose Water   Notice Report results of multiple completion on Well   Notice Report results of multiple completion on Well   Notice Report results of multiple completion or New Conversion to Injection   Notice Report results of multiple completion on Well   Notice Report results of multiple completion on Recompletion on Well   Notice Report results of multiple completion on Well   Notice Report results of multiple completion on Recompletion o	12. CHECK APPROPI	RIATE BOX(s	) TO INDIC	ATE NATURE	OF NOTICE, RE	PORT,	OR OTHER DATA	
Subsequent Report    Plugging Back   Non-Routine Fracturing   Water Shut-Off     Casing Repair   Water Shut-Off     Other REVISED WELLSITE   Dispose Water     DIAGRAM   Complete Completion or Recompletion o	TYPE OF SUBMISSION	NC			TYPE OF ACT	ION		
Subsequent Report    Plugging Back   Non-Routine Fracturing   Water Shut-Off     Casing Repair   Water Shut-Off     Other REVISED WELLSITE   Dispose Water     DIAGRAM   Complete Completion or Recompletion o	Notice of Intent			Abandonment			Change of Plans	
Casing Repair   Water Shut-Off   Conversion to Injection   Dispose Water   DIAGRAM   Conversion to Injection   Dispose Water   DIAGRAM   Conversion to Injection   Conversion to Injection   Dispose Water   DIAGRAM   Completion on Recompletion on Well Completion on Recompletion on Report and Log form.)  3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)  Attached please find a revised wellsite diagram for referenced well.	1101100 07 1110111							
Casing Repair   Water Shut-Off   Conversion to Injection   Dispose Water   DIAGRAM   Conversion to Injection   Dispose Water   DIAGRAM   Conversion to Injection   Conversion to Injection   Dispose Water   DIAGRAM   Completion on Recompletion on Well Completion on Recompletion on Report and Log form.)  3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)  Attached please find a revised wellsite diagram for referenced well.	Subsequent Report			Plugging Back			Non-Routine Fracturing	
Other REVISED WELLSITE (Note: Report reguls of multiple completion on Well Completion or Recompletion Report and Log form.)  3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Attached please find a revised wellsite diagram for referenced well.	_			Casing Repair			Water Shut-Off	
DIAGRAM  (Note: Report results of multiple completion on Well Completion or Recompletion or Recompletion or Recompletion or Recompletion Report and Log form.)  3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)  Attached please find a revised wellsite diagram for referenced well.	Final Abandonment No	Hice					Conversion to Injection	
3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Attached please find a revised wellsite diagram for referenced well.  SEP - 6.								on on Well
Attached please find a revised wellsite diagram for referenced well.								
DEGELVED SP-6 DIV. OF OIL, GAS & MIRING						refe	renced well.	
SEP - 6 DIV. OF OIL, GAS & MIRING								
SEP - 6  DIV. OF OIL, GAS & MINING								
SEP - 6  DIV. OF OIL, GAS & MIRING								
SEP - 6  DIV. OF OIL, GAS & MIRING					· · · · · · · · · · · · · · · · · · ·	THE PERSON NAMED IN COLUMN TWO	Manage of the same	
SEP - 6  DIV. OF OIL, GAS & MIRING					四個個			
SEP - 6  DIV. OF OIL, GAS & MIRING						land land	Ť	
DIV. OF OIL, GAS & MINING					ועוו			
DIV. OF OIL, GAS & MIRING					N SEP -	6 52		
DIV. OF OIL, GAS & MIRING								
DIV. UP UIL, URD CE INSCRIPTION !					U UL	AQ 2 M		
					DIV. UF UIL, U	NO GI III	MARIA COMPANY	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NATURAL COTTON 11-20 SECTION 20, T9S, R21E NW/NW UINTAH COUNTY, UTAH FEDERAL LEASE NO. U-0575 UTE TRIBAL SURFACE

NA



CASING VALVE

MASTER VALVES

WELL

CASING VALVE

Form 3160-5 (June 1990)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No. U = 0575

6. If Indian, Allottee or Tribe Name

#### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

TIME WOTENT CHEENCE

	OLE INIBAL SONFACE
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation NATURAL COTTON
1. Type of Well Oil Sas Well Other  2. Name of Operator	8. Well Name and No. NATURAL COTTON 11-20
ENRON OIL & GAS COMPANY	9. API Well No. 43-407-32430
3. Address and Telephone No. P.O. BOX 1815, VERNAL, UTAH 84078	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	NATURAL COTTON  11. County or Parish, State
1000' FNL & 1008' FWL NW/NW SEC. 20, T9S, R21E	UINTAH/UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE	CE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent	Abandonment	Change of Plans		
	Recompletion	New Construction		
Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		

 J Final Abandonment Notice X Other METHOD OF DISPOSAL OF PRODUCED WATER

Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)


13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Enron Oil & Gas Company requests approval to dispose of produced water from the subject well as follows:

Store in above ground tank.

Transport by truck to Enron Oil & Gas Company's Natural Buttes 21-20 SWD Plant or Ace Oilfield Disposal, Inc.

Accepted by the **Utah Division** of Oll, Gas and Mining FOR RECORD ONLY



14. I hereby certify that the foregoing is true and correct Signed	all Title Sr. Admin. Clerk	Date8	/30/94
(This space for Federal or State office use)			
Approved by	Title	Date	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully-to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4962 Houston, TX 77210-4362

October 6, 1999

VIA OVERNIGHT MAIL

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE:

Blanket Oil & Gas Well Drilling Bond No. JT 1230 Merger and Name Change from Enron Oil & Gas Company Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. Enclosed are an originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change, a Rider for Bond No. JT 1230 changing the principal to EOG Resources, Inc. and a list of wells operated by Enron Oil & Gas Company in Utah. Please update your records accordingly.

If you have any questions or need any additional information, please contact me at (713) 853-5195.

Sincerely,

Debbie Hamre

**Enclosures** 

cc:

Theresa Wysocki

Toni Miller, Denver Division

Bill Aven



#### **CERTIFICATE OF NAME CHANGE**

#### TO EOG RESOURCES, INC.

I, the undersigned, Vickie L. Graham, Assistant Secretary of EOG Resources, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Delaware and formerly known as Enron Oil & Gas Company, hereby certify that:

- as Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation;
- attached is a true and correct copy of a Certificate of Ownership and Merger merging EOG Resources, Inc. into Enron Oil & Gas Company, and changing the corporate name of Enron Oil & Gas Company to EOG Resources, Inc., including a copy of the certificate of the Secretary of State of Delaware, the state of incorporation; said merger and name change being effective as of August 30, 1999.

	IN WI	TNESS HEF	REOF, I	hav	e here	unto set my ha	and as	Assistant Secr	etarv	and
affixed Oct	the	corporate )	seal , 19	of 99.	said	Corporation	this	Assistant Secr	day	of

CORPORATE SEAL

Vickie L. Graham Assistant Secretary

STATE OF TEXAS

**COUNTY OF HARRIS** 

This instrument was acknowledged before me this day of the last secretary of EOG Resources, Inc., a Delaware corporation, on behalf of said corporation. Witness my hand and official seal.

Notary Public in and for The State of Texas

ANN S. BYERS
NOTARY PUBLIC, STATE OF TEXAS
MY COMMISSION EXPIRES
FEB. 15, 2003

## Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF
DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT
COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"EOG RESOURCES, INC.", A DELAWARE CORPORATION,

WITH AND INTO "ENRON OIL & GAS COMPANY" UNDER THE NAME OF "EOG RESOURCES, INC.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE THIRTIETH DAY OF AUGUST, A.D. 1999, AT 4:30 O'CLOCK P.M.



Edward J. Freel, Secretary of State

**AUTHENTICATION:** 

9955549

DATE:

09-03-99

2064000 8100M

991371085



#### CERTIFICATE OF OWNERSHIP AND MERGER

#### MERGING

## EOG RESOURCES, INC. a Delaware corporation

#### INTO

### ENRON OIL & GAS COMPANY a Delaware corporation

(Pursuant to Section 253 of the General Corporation Law of the State of Delaware)

Enron Oil & Gas Company, a corporation duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware, does hereby certify:

FIRST: That Enron Oil & Gas Company (the "Company") and EOG Resources, Inc. ("EOG") are corporations duly organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

SECOND: That the Company owns all of the issued and outstanding shares of the capital stock of EOG.

THIRD: That the board of directors of the Company adopted the following resolutions by unanimous written consent dated August 25, 1999, and that such resolutions have not been rescinded and are in full force and effect on the date hereos:

"WHEREAS, EOG Resources, Inc., a Delaware corporation ("EOG"), is a wholly owned subsidiary of the Company;

WHEREAS, the board of directors of the Company deems it advisable and in the best interest of the Company to merge EOG with and into the Company, with the Company being the surviving corporation;

Now, THEREFORE, BE IT RESOLVED, that EOG be merged with and into the Company pursuant to Section 253 of the General Corporation Law of the State of Delaware, and that the Company succeed to and possess all the rights and assets of EOG and be subject to all of the liabilities and obligations of EOG;

RESOLVED, that the Company change its corporate name by changing Article First of the Certificate of Incorporation of the Company to read in its entirety as follows:

"First: The name of the Corporation is EOG Resources, Inc."

RESOLVED, that each share of common stock, \$1.00 par value per share, of EOG issued and outstanding immediately prior to the effective date of the merger shall, upon the effective date and by virtue of the merger, be canceled without payment therefor;

RESOLVED, that the merger shall become effective on the date the Company files a Certificate of Ownership and Merger with respect to such merger with the Secretary of State of the State of Delaware;

RESOLVED, that the appropriate officers of the Company are hereby authorized and empowered to file the necessary documents with the Secretary of State of the State of Delaware, to incur the necessary expenses therefor and to take, or cause to be taken, all such further action and to execute and deliver or cause to be executed and delivered, in the name of and on behalf of the Company, all such further instruments and documents as any such officer may deem to be necessary or advisable in order to effect the purpose and intent of the foregoing resolutions and to be in the best interests of the Company (as conclusively evidenced by the taking of such action or the execution and delivery of such instruments and documents, as the case may be, by or under the direction of any such officer);

RESOLVED, that the prior actions of the officers and directors of the Company in undertaking to carry out the transactions contemplated by the foregoing resolutions be, and the same hereby are, in all respects, approved, adopted, ratified and confirmed."

IT WITNESS WHEREOF, the Company has caused this Certificate to be signed by its duly authorized officer this 26th day of August, 1999.

**ENRON OIL & GAS COMPANY** 

By:

Walter C. Wilson

Senior Vice President and Chief Financial Officer

P:\\bh\EOG Resources, Inc\5301020\_v2.doc







### United States Department of the Interior

#### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 SL-065342 et al (UT-932)

DCT 1 8 1999

NOTICE

EOG Resources, Inc. Attn: Debbie Hamre P.O. Box 4362 Houston, TX 77210-4362

Oil and Gas Leases

## Merger Recognized Name Change Recognized

Acceptable evidence has been received in this office concerning the merger of EOG Resources, Inc. with and into Enron Oil & Gas Company with Enron Oil & Gas Company subsequently changing its name to EOG Resources, Inc.

For our purposes, the merger and name change are recognized effective September 3, 1999, the date the Secretary of State of the State of Delaware recognized the merger and name change.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the merger/name change. The exhibit is the list supplied by EOG Resources, Inc. We have not adjudicated the case files to determine if the entity affected by the merger/name change holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger/name change by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.


Due to the name change, the name of the principal/obligor on the bond is required to be changed from Enron Oil & Gas Company to EOG Resources, Inc. on Nationwide Surety Bond No. JP 0923 (BLM Bond No. NM 2308). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name may be furnished to the New Mexico State Office of the Bureau of Land Management.

# Rebort Lopes

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure:

**Exhibit of Leases** 



vivision of Oil, Gas and Mining				ROUTING:			
OPERATOR CHANGE	-	1-KDR	6-KAS				
Attach all documentation received by the Division regarding this change.					7-8J-7		
					8-FILE		
initial each listed item when compl	leted. Write N/A if item is not applica	DIE.		4-CDW			
☐ Change of Operator (W	/ell Sold) □ Design	nation of Agent	-	5-KDR			
☐ Designation of Operator	or xx Operat	or Name Change Only (1	MERGER)				
The operator of the well(s)	listed below has changed, et	ffective: 8-30-99					
		ED 014 (011 0					
`	G RESOURCES INC.	FROM: (Old Operator Address:			OMPANY		
	D. BOX 4362 USTON, TX 77210-4362	Address.	P.O. BO	X 4362 TX 7721	0_4362		
	EBBIE HAMRE		DEBBIE		0-4502		
	ne: (713)651-6714			713)651-67	14		
	ount No. <u> <b>N9550</b></u>		Account 1	No. <u><b>N0401</b></u>			
LL(S): Attach additional pa	age(s) if needed						
. ,				^ u^ <del>-</del>			
Name: **SEE ATTACHED** Name:	API: <u>43047-32</u> API:	<u>430</u> Entity: <u>115 34</u> 8 <u>20</u> Entity: S					
Name:	API:	Entity: S	TR				
Name:	API:	Entity:S	TR_	Lease:			
Name:		Entity: S Entity: S	T R T R	Lease: Lease:			
OPERATOR CHANGE I	DUCUMENTATION						
1. (R649-8-10) form) on 1	Sundry or other legal documen 0.7.99.	tation has been received fro	om the FOR	MER operator	r (attach to this		
<u>LDL</u> 2. (R649-8-10)	Sundry or other legal documen	tation has been received fro	om the NEW	operator on _	10.7.99.		
LDK 3. The new com	npany has been looked up in the	Department of Commer	ce, Division	of Corporation	ons Database		
if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State?							
Yes/No If yes, the company file number is If no, Division letter was mailed to the new							
	operator on						
Federal and Indian Lease Wells. The BLM and/or the BIA has approved the operator change for all wells listed above involving Federal and/or Indian leases. BIM - Let & 11.20.99  Federal and Indian Units. The BLM and/or the BIA has approved the operator change for the unit and all wells listed above involving unit operations. (NUML WALLE THEY APPROVED)  Federal and Indian Communitization Agreements ("CA"). The BLM and/or the BIA has approved the							
61A - Lec & 3.10.99  Federal and Indian Units. The BLM and/or the BIA has approved the operator change for the unit							
and all wells	Federal and Indian Units. The BLM and/or the BIA has approved the operator change for the unit and all wells listed above involving unit operations. (NUML CHURCE THEY APPROVED)						
6. Federal and Indian Communitization Agreements ("CA"). The BLM and/or the BIA has approved the operator change for CA (Federal,Indian), CA No, and all wells listed above involved in the CA.							
* For wells located on a CA (state or fee) send a copy of the sundry notice of all wells involved to Teresa Thompson at the S.L. Office before approval.							

	· · · · · · · · · · · · · · · · · · ·
7.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above. * Ned 1 for 43.
KDR 8.	Changes have been entered in the Oil and Gas Information System for each well listed on 1:31:200 3
9.	Changes have been entered in <b>RBDMS</b> for each water/gas injection, water disposal well listed on
10.	Changes have been included on the monthly "Operator, Address, and Account Changes" memo on
<u>YDR</u> 11.	An <b>Operator Change File</b> has been set up, and a copy of this page has been placed there for reference during routing and processing of the original documents.
ENTITY RI	EVIEW
DR-1.	(R649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? Yes/No If entity assignments were changed, attach copies of Form 6, Entity Action Form.
DR 2.	Tax Commission, Trust Lands, and Forestry, Fire & State Lands have been <b>notified</b> through normal procedures of entity changes.
BOND VER	RIFICATION - (FEE LEASE WELLS)
DR 1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.  Hiden #JT-1230 Iff 10.4.99 St. Paul Fire 3 Manual (80,000)
2. UNC 3.	A copy of this form has been placed in the new and former operator's bond files on  The FORMER operator has requested a release of liability from their bond as of todays date If
<del></del>	yes, Division response was made to this request by letter dated (see bond file).
EASE INT	EREST OWNER NOTIFICATION OF RESPONSIBILITY
<u>DP</u> 1.	E-mail sent on to at SITLA for changes involving State leases. (Wait two weeks before changing, unless the Division hears otherwise.) (8) 100 Statewide) St. faul fire manne
<u>D</u> 2.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated 2.1.2000, of their responsibility to notify all interest owners of this change.
TILMING 1.	All attachments to this form have been microfilmed on
<b>ILING</b> 1.	Copies of all attachments pertaining to each individual well have been filed in each well file.
2.	The original of this form, and the original attachments have been filed in the Operator file(s).
COMMENT	`S

WELL NAME

API Number

Page 20 of 20 01/18/2000

WATER (BBL)

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Well

Status

Well

Type

Days

Oper

Producing

Zone

#### MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR	NAME	AND	ADDRESS
----------	------	-----	---------

PATTY E ROBINSON ENRON OIL & GAS CO PO BOX 250 BIG PINEY, WY 83113

Entity Location

UTAH ACCOUNT NU	MBER: <b>N0401</b>	
REPORT PERIOD (	MONTH/YEAR):_	12 / 1999
AMENDED REPORT	(Highlight	Changes)

OIL (BBL)

Production Volumes

GAS (MCF)

STAGECOACH 41-20 4304732280 11456 09S 22E 20	WSTC		GW	LJ-019362A	appr 10.20,9		
SCU 50-20F	WBIC		GW	U 01 3000			
4304733104 11456 09S 22E 20	WSTC		GW	U-019362	17		
NATURAL COTTON 23-28				11-00-71			
4304732425 11516 09S 21E 28	GRRV		GW	U-0576	1,		
NATURAL COTTON 34-21 4304732426 11522 09S 21E 21	GRRV		GW	4-0576	71		
NATURAL COTTON 14-8 4304732428 11523 09S 21E 08	GRRV		GW	U-0575B	1ı		
FURAL COTTON 23-18 4304732427 11525 098 21E 18	GRRV		GW	U-D581	/1		
NATURAL COTTON 13-20 4304732429 11531 09S 21E 20	GRRV		GW	U-057S	и		
NATURAL COTTON 11-20 4304732430 11534 09S 21E 20	GRRV		GW	U-0575	12		
NATURAL COTTON 12-17 4304732463 11661 09S 21E 17	GRRV		GW	U-0575	12		
NATURAL COTTON 43-16 4304732468 11665 09S 21E 16	GRRV		OW	ML-3282	1,		
CWU 582-1N 4304733235 12521 09s 22E 01	WSTC		GW	BU-01458	11		
NORTH CHAPITA 2-5 4304733211 12522 09S 22E 05	WSTC	,	GW	FEE	1,		
					7)		
			TOTALS	3			
COMMENTS :							
racreby certify that this report is true and complete	to the best of r	my knowled	lge. D	Date:			
Name and Signature: Telephone Number:							



Michael O. Leavitt Kathleen Clarke Executive Director Lowell P. Braxton 801-359-3940 (Fax)
Division Director 801-538-7223 (TDD)

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax)

February 1, 2000

**Enron Oil & Gas Company** P.O. Box 250 Big Piney, Wyoming 83113

Re: Notification of Sale or Transfer of Fee Lease Interest

The Division has received notification of a merger from Enron Oil & Gas Company to EOG Resouces Inc. for the following well(s) which are located on a fee lease:

<u>Well Name</u>	<u>SecTR.</u>	<b>API Number</b>
Stagecoach 18-17	17-09S-22E	43-047-30611
CWU 228-09	09-09S-22E	43-047-31317
CWU 337-09	09-09S-22E	43-047-32414
CWU 408-9N	09-09S-22E	43-047-33043
CWU 536-9F	09-09S-22E	43-047-33143
North Chapita 2-5	05-09S-22E	43-047-33211
CWU 535-9F	09-09S-22E	43-047-33275

Utah Administrative Rule R649-2-10 states; the owner of a lease shall provide notification to any person with an interest in such lease, when all or part of that interest in the lease is sold or transferred.

This letter is written to advise Enron Oil & Gas Company of its responsibility to notify all individuals with an interest in this lease (royalty interest and working interest) of the change of operator. Please provide written documentation of this notification to:

**Utah Royalty Owners Association** Box 1292 Roosevelt, Utah 84066



February 1, 2000

Your assistance in this matter is appreciated.

Sincerely,

Kristen D. Risbeck

Krister P. RisBUK

cc: EOG Resources Inc.
Utah Royalty Owners Association, Martin Brotherson
John R. Baza, Associate Director
Operator File(s)







EOG Resources, Inc. 1200 Smith Street Houston, TX 77002

P.O. Box 4362 Houston, TX 77210-4362

> SENT VIA FAX (801)359-3940

March 10, 2000

Ms. Kristen Risbeck
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, UT 84114-5801

RE:

Merger and Name Change from Enron Oil & Gas Company

Into EOG Resources, Inc.

Dear Ms. Risbeck:

On August 30, 1999, EOG Resources, Inc. merged with and into Enron Oil & Gas Company and Enron Oil & Gas Company changed its name to EOG Resources, Inc. An originally certified copy of the Certificate of Ownership and Merger evidencing this merger and name change was previously sent to you. As we discussed today, there are two wells, the CWU 590-16F, NWNW-16-T9S-R22E, 430473337200 and the CWU 596-9F, SWSE-9-T9S-R22E, 430473337400 that should have been included on the original well list we mailed October 6, 1999, but they were inadvertently left off.

Please change your records to reflect these two additional wells as operated by EOG Resources, Inc. If you have any questions or need any additional information, please contact me at the (713) 651-6714.

Sincerely, Deliberthanke

Debbie Hamre



WELL NAME		EOG PROPERTY#	API#
BRENNAN BOTTOMS 1-15	4-14639		430473101800
COTTONTAIL FED 1-18	U- 0575	000721000001	430473189900
COTTONWOOD FED 1-20	U- 0575	003570000001	430473187500
CWU 1-04	U-15726	003665000001	430473066000
CWU 1-05 WASATCH	U-15727	003666000001	430473066100
CWU 5-22	U-0284-A	003729000001	430471505100
CWU 7-10	U-0281	003742000001	430471505300
CWU 11-15	U-0283A	003667000001	430471505600
CWU 13-13	4-0282	003669000001	430471505800
CWU 15-11	U-0281	003671000001	430471506000
CWU 16-14	U-0282	003672000001	430471506100
CWU 17-25	U-0285A	003673000001	430471506200
CWU 20-28	U-0285A	003678000001	430471506500
CWU 21-23	U-0282	003680000001	430471506600
CWU 22-09	U-0283A	003683000001	430471506700
CWU 24-02	ML-3077	003701000001	430471506800
CWU 30-22	U-0284A	003709000001	430473022900
CWU 31-14	U-0282	003710000001	430473023200
CWU 32-21	U-0284A	003711000001	430473023300
CWU 33-16	ML-3078	003712000001	430473023400
CWU 34-28	SL-065296	003713000001	430473023500
CWU 35-15	U-0283A	003714000001	430473023600
CWU 36-26	U-0285A	003715000001	430473026300
CWU 37-11	U-0281	003716000001	430473026400
CWU 38-09	U-0283A	003717000001	430473026500
CWU 39-16	ML-3078	003718000001	430473026800
CWU 40-27	11-0344 #	003719000001	430473028700
CWU 42-13	11-0282	003721000001	430473028900
CWU 43-11	U-0281	003722000001	430473029000
CWU 44-10	4-0281	003723000001	430473029100
CWU 45-25	11-010956	003724000001	430473061200
CWU 47-30	4-0337	003726000001	430473061400
CWU 48-19	U-0337	003727000001	430473061500
CWU 49-25	U-0285A	003728000001	430473070200
CWU 52-33	U-0336	003732000001	430473071200
CWU 58-19	U-0337	003738000001	430473082700
CWU 217-23	U-0282	003681000001	430473115700
CWU 220-10	U-0281	003684000001	430473115400
CWU 224-10	U-0281	003685000001	430473121800
CWU 225-02	ML-3077	003686000001	430473130500
CWU 226-03	U-0281	003687000001	430473131200
CWU 227-03	U-0281	003688000001	430473131300
CWU 228-09	FEE	003689000001	430473131700
CWU 229-12	4-0282	003690000001	430473131500
CWU 231-14	4-0282	003692000001	430473131800



	WELL NAME	EOG PROPERTY#	API#
CWU 232-15	U-0283A	003693000001	430473130900
CWU 233-15	U-0283A	003694000001	430473132000
CWU 234-23	U-0282	003695000001	430473131900
CWU 236-13 BC	U-0282	003697000001	430473139300
CWU 236-13 PP		003697000002	430473139300
CWU 237-22	U-0284	003698000001	430473139200
CWU 238-16	ML-3078	003699000001	430473138500
CWU 239-09	U-0283A	00370000001	430473148300
CWU 240-16	ML-3018	003702000001	430473147100
CWU 241-16	ML-3078	003703000001	430473147200
CWU 244-25A CH	U-0285A	003707000002	430473155900
CWU 244-25A ISL		003707000001	430473155900
CWU 301-26	4-010966	019747000001	430473200200
CWU 302-2F	ML-3077	020089000001	430473321200
CWU 303-22	U-0284A	019748000001	430473200000
CWU 304-13	U-0282	019749000001	430473199900
CWU 306-27	U-0285A	021166000001	430473217500
CWU 307-28	U-0285A	021167000001	430473217600
CWU 308-21	U-0284A	021168000001	430473220000
CWU 310-9	U-0283A	024129000001	430473243900
CWU 311-26	U-0285A	021169000001	430473218000
CWU 312-23	U-0282	020022000001	430473209100
CWU 315-11F	U-0281	032567000001	430473332600
CWU 319-14	U-0282	020023000001	430473209600
CWU 320-11X	U-0281	024130000001	430473244800
CWU 321-26	U-0286A	020025000001	430473210000
CWU 323-22	U-0284A	020024000001	430473210100
CWU 324-22	<u>U- 0284A</u>	021172000001	430473220800
CWU 325-24N	U-0282	031378000001	430473306600
CWU 326-24	<u> </u>	021628000001	430473227700
CWU 327-23	<u>u-0282</u>	021629000001	430473231900
CWU 328-24F	U-0282	032254000001	430473332100
CWU 332-10	U-0281	024131000001	430473243100
CWU 334-02	ML-3077	021630000001	430473231800
CWU 337-9N	FEE	021631000001	430473241400
CWU 339-25	U-010956	021173000001	430473220600
CWU 340-26N CWU 341-21N	U-0285A	024133000001	430473241900
CWU 341-21N	U-0284A	022029000001	430473237100
CWU 342-22 CWU 343-15N	<u>U-0284A</u>	021198000001	430473221000
CWU 344-23N	U-0283A	022030000001	430473236900
CWU 344-23N	U-0282	022031000001	430473237000
CWU 346-26N	U-0283A	022032000001	430473237200
CWU 347-26N	U-0285A	022033000001	430473236800
CWU 347-26N CWU 348-23N	U-110956	022034000001	430473236700
CVVU 348-23IN	U-0282	022035000001	430473237300



	WELL NAME		EOG PROPERTY#	API#
CWU 349-27N		U-0285A	022036000001	430473237400
CWU 350-14N		U-0282	022037000001	430473237500
CWU 351-15N		U-0283A	022038000001	430473239000
CWU 352-16		ML-31603	032569000001	430473333000
CWU 353-15F		U-0283A	025923000001	430473255500
CWU 355-13N		U-0282	025926000001	430473264400
CWU 358-23F		U-0282	025924000001	430473254800
CWU 359-27N		U-0285A	024135000001	430473243300
CWU 360-26N		U-0286A	024136000001	430473243200
CWU 364-15		U-0283A	024138000001	430473243600
CWU 401-28F		U-0285A	031398000001	430473313300
CWU 403-3N		U-0281	025124000001	430473251000
CWU 404-10N		U-0281	025125000001	430473251100
CWU 407-16N	·	ML-3078	032570000001	430473334700
CWU 408-09N		FEE	030439000001	430473304300
CWU 409-11N		4-0281	025927000001	490353264300
CWU 410-02N		ml-3077	030389000001	430473289300
CWU 411-10N		4-0281	025126000001	430473249600
CWU 416-24N		SL-071756	025127000001	430473250100
CWU 429-22N		U-0284A	025129000001	430473248400
CWU 430-22F		U-0284A	025130000001	430473248500
CWU 431-23F		U-0282	025131000001	430473248600
CWU 432-12N		U-2081	025123000001	430473252300
CWU 433-28N		U-0285A	002592900001	4304732641
CWU 434-27N 🗼	43.47.32789	U-0285A	025930000001	430473264000
CWU 435-24N		U-0282	025931000001	430473263900
CWU 439-11N		4-0281	025932000001	430473285100
CWU 440-14F		U-0282	025925000001	430473256200
CWU 441-11F		U-0281	032571000001	430473334800
CWU 442-11F		U-0281	030577000001	430473295100
CWU 443-11F		U-0281	027627000001	430473282300
CWU 448-10F		U-0281	030440000001	430473304400
CWU 449-10F		U-0281	030666000001	430473304500
CWU 451-14F		U-0282	027628000001	430473282400
CWU 454-14F		U-0282	030441000001	430473291400
CWU 457-15N	······································	U-0283A	030667000001	430473295200
CWU 458-15F		U-0283A	030668000001	430473295400
CWU 460-16F		ML-3078	032572000001	430473334900
CWU 462-24F		SL-DI1196	032255000001	430473331400
CWU 463-23F		U-0282	027629000001	430473284100
CWU 464-23F		4-0282	032573000001	430473331500
CWU 465-23		U-0282	030669000001	430473292500
CWU 467-22F		U-0284A	030390000001	430473289500
CWU 469-22E		U-0284A	027630000001	430473282500
CWU 471-21F		U-0284A	031399000001	430473314100

LA IN ERROR



WELL NAME		EOG PROPERTY#	API#
CWU 474-21F	U-0284A	032574000001	430473333100
CWU 477-27F	U-0285A	030391000001	430473289700
CWU 479-26F	U-0285A	027631000001	430473282600
CWU 480-26F	U-0285A	030388000001	430473289600
CWU 482-09F	U-0283A	030392000001	430473289400
CWU 483-15F	U-0283A	030665000001	430473295300
CWU 485-26F	U-0285A	030670000001	430473292700
CWU 486-2F	ML-3077	030576000001	430473294900
CWU 487-09F	U-0283A	030617000001	430473295000
CWU 488-13F	U-D282	030570000001	430473292200
CWU 490-16N	ML-3078	030615000001	430473295500
CWU 491-16N	ML-3078	030618000001	430473295600
CWU 492-16F	ML-3078	030616000001	430473295700
CWU 494-22F	U-0284A	030444000001	430473291500
CWU 495-25N	U-0285A	030673000001	430473304700
CWU 496-21E	U-0284A	030614000001	430473295800
CWU 497-24F	U-0282	030674000001	430473304600
CWU 498-25E	4-010956	030575000001	430473304800
CWU 499-24F	U-0282	030672000001	430473292600
CWU 505-28F	U-023998	031400000001	430473318000
CWU 506-27F	U-0285A	031401000001	430473283300
CWU 507-26F	4010956	032444000001	430473333200
CWU 511-24F	U-0282	031379000001	430473305900
CWU 514-23F	U-0282	031380000001	430473305800
CWU 516-21F	U-0284A	031382000001	430473313700
CWU 517-16F	ML-3078	032257000001	430473317100
CWU 518-16F	ML-3078	031402000001	430473313800
CWU 520-15F	U-0283A	031381000001	430473312700
CWU 521-15F	U-0283 A	032258000001	430473329600
CWU 522-15F	U-0283A	032242000001	430473323600
CWU 523-14F	<u>U-0282</u>	032259000001	430473329700
CWU 524-13F	U-0282	031403000001	430473311500
CWU 531-11F	U-0281	032260000001	430473329800
CWU 532-10F	4-0281	031407000001	430473326500
CWU 534-9F	U-0283A	031408000001	430473327400
CWU 535-9F	FEE	032220000001	430473327500
CWU 536-09F	FEE	031409000001	430473314300
CWU 538-3N	U-0281	031410000001	430473312500
CWU 542-3	U-0281	032221000001	430473321300
CWU 543-3	U-0281	032222000001	430473327100
CWU 544-02F	ML-3077	032576000001	430473335100
CWU 547-2F	ML-3077	031412000001	430473313600
CWU 549-19F	U-0337	031383000001	430473306800
CWU 550-30N	U-0337	031384000001	430473311600
CWU 555-10F	U-0281	031385000001	430473323700



WELL NAM	<i>N</i> E	EOG PROPERTY #	API#
CWU 556-11F	U-0281	031414000001	430473330100
CWU 558-14F	U-0282	031386000001	430473310500
CWU 559-14F	U-0282	031387000001	430473310600
CWU 560-14F	U-0282	031416000001	430473311700
CWU 561-14F	4-0282	031417000001	430473311800
CWU 563-27F	U-0285A	031419000001	430473276900
CWU 564-16F	ML-3078	031388000001	430473312600
CWU 565-28F	U-0285A	031245000001	430473306700
CWU 566-22F	U-0284A	031420000001	430473311900
CWU 570-02F	ML-3077	031746000001	430473335200
CWU 571-9F	U-0283A	031747000001	430473326600
CWU 572-10F	U-0281	031748000001	430473326700
CWU 573-11F	4-0281	031749000001	430473330200
CWU 574-12N	U-0281	031750000001	430473330300
CWU 575-13F	U-0282	031751000001	430473331600
CWU 576-14F	4-0283	031752000001	430473321500
CWU 577-22F	U-0284A	031753000001	430473332700
CWU 578-22F	U-0284A	031754000001	430473331700
CWU 579-23F	U-0282	031755000001	430473331800
CWU 580-23F	LI-0282	031756000001	430473331900
CWU 582-1N	U-01458	031758000001	430473323500
CWU 584-13F	U-0282	032261000001	430473332200
CWU 585-2	ML-3077	032223000001	430473321600
CWU 586-4	U-0283A	032224000001	430473326800
CWU 589-28	U-0285A	032262000001	430473332800
CWU 591-23F	4-0282	032577000001	430473332000
CWU 592-11F	<u>'U-0281</u>	032578000001	430473332900
CWU 593-11F	U-0281	032579000001	430473335400
DC 1-11 GR	U-27042	003747000001	430473032600
DC 2-10 GR	U-27042	003758000001	430473043400
DC 4-17 GR	U-38400	003780000001	430473064200
DC 60-29	U-24230	003804000001	430473109300
DC 61-29	U-24230	003805000001	430473126300
HARLEY GOVT #1	Petro-X JK W A		430191504600
HOME FEDERAL #1-34	U-3405	006503000001	430473022300
HOME FEDERAL #1-34 WAS	- VI 570-5	006503000002	430473022300
TL PAP 1-26 B5	U-43156	010439000001	430473177900
TL PAP 1-26 RED	<u> </u>	010439000002	430473177900
N CHAPITA 2-5	Fee	031873000001	430473321100
NATURAL COTTON 11-20	U-1575	023868000001	430473243000
NATURAL COTTON 12-17	U-0575	025208000001	430473246300
NATURAL COTTON 13-20	u-0575	023863000001	430473242900
NATURAL COTTON 14-08		023867000001	430473242800
NATURAL COTTON 23-18	<u> </u>	023866000001	430473242700
NATURAL COTTON 23-28	V10576	023864000001	430473242700



WELL NAME		EOG PROPERTY#	API#
NATURAL COTTON 34-21	U-0576	023865000001	430473242600
NATURAL COTTON 43-16	ML-3282		430473046800
NBU 1-07B		004478000001	430473026100
NBU 2-15B		004489000001	430473026200
NBU 3-02B		004524000001	430473026700
NBU 4-35B		004538000001	430473027300
NBU 5-36B		004550000001	430473027200
NBU 7-09B		004573000001	430473027800
NBU 8-20B		004576000001	430473027500
NBU 10-29B		004479000001	430473027400
NBU 11-14B	U-0577A	004480000002	430473029200
NBU 11-14B WAS			430473029200
NBU 12-23B M4	U-0577A	004481000002	430473030800
NBU 13-08B	<u> </u>	004482000001	430473029400
NBU 14-30	U-0581	004483000001	430473029500
NBU 15-29B	<u> </u>	004484000001	430473029600
NBU 16-06B		004485000001	430473031600
NBU 17-18B		004486000001	430473031700
NBU 19-21B		004488000001	430473032800
NBU 20-01B		004490000001	430473031900
NBU 21-20B WDW		004497000001	430473035900
NBU 25-20B		004516000001	430473036300
NBU 26-13B	·	004517000001	430473036400
NBU 27-01B	U-02270A	004518000002	430473038100
NBU 28-04B	U. CEZ 1011	004521000001	430473036700
NBU 29-05B		004523000001	430473036800
NBU 30-18		004526000001	430473038000
NBU 31-12B BC		004528000002	430473038500
NBU 31-12B ISL		004528000001	430473038500
NBU 33-17B		004531000001	430473039600
NBU 34-17B		000350000001	430473040400
NBU 35-08B		004533000001	430473039700
NBU 36-07B		004534000001	430473039900
NBU 37-13B	U-0579	004535000001	430473040000
NBU 38-22B	U-0577A	004536000001	430473040100
NBU 48-29B	DI 0 3 . 11.	004547000001	430473054200
NBU 48-29B		004547000002	430473054200
NBU 49-12B		004548000001	430473047000
NBU 52-01B	<del></del>	004553000001	430473047300
NBU 53-03B	<del></del>	004555000001	430473047400
NBU 54-02B		004556000001	430473047500
NBU 55-10B		004557000001	430473046500
NBU 57-12B		004559000001	430473046300
NBU 58-23B		004560000001	430473046200
NBU 62-35B		004565000001	430473047700
		00430300001	4304/304//00



WELL NAME	EOG PROPERTY #	API#
NBU 63-12B	004566000001	430473046600
NBU 70-34B	004574000001	430473057700
NBU 71-26B	004575000001	430473057800
NBU 202-03	004493000001	430473115000
NBU 205-08	004494000001	430473123800
NBU 206-09	004495000001	430473116500
NBU 207-04	004496000001	430473117700
NBU 210-24	004498000001	430473115300
NBU 211-20	004499000001	430473115600
NBU 212-19	004500000001	430473126700
NBU 213-36	004501000001	430473126800
NBU 217-02	004505000001	430473128200
NBU 218-17	004506000001	430473131000
NBU 219-24	004507000001	430473130800
NBU 301-24E	020165000001	430473213100
NBU 302-9E	019750000001	430473201000
NBU 304-18E	020166000001	430473213000
NBU 305-07E	020167000001	430473213500
NBU 306-18E	021473000001	430473228200
NBU 307-6E	019751000001	430473201400
NBU 308-20E	021203000001	430473220200
NBU 309-20E	021295000001	430473228300
NBU 311-23E	021205000001	430473220300
NBU 313-29E	021832000001	430473237800
NBU 314-03E	021404000001	430473227100
NBU 316-17E	021935000001	430473238100
NBU 317-12E	021938000001	430473236200
NBU 318-36E	021204000001	430473220400
NBU 321-10E	021943000001	430473237900
NBU 322-15E	031312000001	430473313900
NBU 325-8E	021940000001	430473237600
NBU 328-13E	021944000001	430473238600
NBU 329-29E	021532000001	430473222900
NBU 331-35E	020174000001	430473214700
NBU 332-08E	020175000001	430473214800
NBU 333-2E	021405000001	430473251800
NBU 335-23E	021406000001	430473226500
NBU 336-24E	021407000001	430473226400
NBU 339-19E	021533000001	430473228100
NBU 340-20E	021408000001	430474232700
NBU 341-29E	022179000001	430473305500
NBU 342-35E	021206000001	430473221200
NBU 343-36E	021207000001	430473220500
NBU 349-07E	021534000001	430473232600
NBU 352-10E	021937000001	430473251900



WELL N	AME	EOG PROPERTY#	API#
NBU 356-29E		021834000001	430473238300
NBU 358-1E		021942000001	430473238800
NBU 360-13E		021945000001	430473238700
NBU 382-18E		031002000001	430473306400
NBU 386-24E	<del></del>	031005000001	430473305600
NBU 388-19E		031134000001	430473305700
NBU 389-29E	······································	031344000001	430473304900
NBU 390-4E		031316000001	430473283500
NBU 391-05E		031007000001	430473298800
NBU 393-13E		031008000001	430473307100
NBU 394-13E		031009000001	430473307200
NBU 400-11E		025576000001	430473254400
NBU 431-09E		031135000001	430473306900
NBU 481-03E		031136000001	430473306300
NBU 483-19E		031137000001	430473306500
NBU 489-07E		031329000001	4304733/21
NBU 490-30E	ADJ. U-0587	031330000001	430473313500
NBU 497-1E		031337000001	430473312300
NBU 506-23E		031342000001	430473314000
NBU 508-8E	<del></del>	031300000001	430473312400
NBU STATE 1-32G	ML-22261	004470000001	430473031500
NBU STATE 2-36G		004471000001	430473051500
NDC 69-29 ORI	4-24230	010915000001	430473158000
NDK STORAGE		024739000001	
NDU 1-28	4-0576	004581000001	430473126900
OSCU II 1-34	4-49623	019777000001	430473203900
OSCU II 2-27 (DEV)	U-49518	001727000001	430473189800
OSCU II FED #1	4-49518	011041000001	430473172200
STG 1-32	ML-3085	005915000001	430471507100
STG 2-28	U-0803	005928000001	430471507200
STG 6-20	Indian	005936000001	430471507500
STG 11-22	U-025960	005919000001	430472019300
STG 14-34	4-9613	005922000001	430473059400
STG 15-27	U-0803	005923000001	430473060400
STG 18-17	Fee	005926000001	430473061100
STG 19-33	4-9613	005927000001	430473065700
STG 21-08	U-0283	005930000001	430473065900
STG 22-17	Indian	005931000001	430473129900
STG 33-17N	Indian	024128000001	430473244100
STG 41-20	U-019362A	021175000001	430473228000
STG 44-8N	U-0283	025122000001	430473252000
STG 48-17F	Indian	031389000001	430473272800
STG 50-20F	4-019362	031390000001	430473310400
STG 51-20F	Indian	031391000001	430473312000
STG 52-08N	U-0283	031745000001	430473283400
L <del></del>	VI VOUS		



WELL NAME		EOG PROPERTY #	API#
STG 53-08N	U-0283	032264000001	430473268200
STG 56-20F	Indian	032265000001	430473337000
STG 57-08N	U-0283	032266000001	430473337100
WILD HORSE FED 2-26	U-3405	008266000001	430473188200
WILD HORSE FED 2-35	U-3405	019139000001	430473190100
WILD HORSE FED 3-26	U-43156	021869000001	430473237700
WILD HORSE FED 3-35	U-340S	021871000001	430473238900

FORM 3160-5

## **UNITED STATES**

FORM APPROVED
dget Bureau No. 1004-0135

1 Old I I I I I I
dget Bureau No. 1004-0135

		OF THE INTERIOR AND MANAGEMENT	dget Bureau No. 1004-0135 Expires September 30, 1990  5. Lease Designation and Serial No.
	orm for proposals to drill or PPLICATION FOR PEF	E AND REPORTS ON WELLS  to deepen or reentry to a different reservoir.  RMIT" for such proposals  IIT IN TRIPLICATE	6. If Indian, Allottee or Tribe Name UTE TRIBAL SURFACE 7. If Unit or C.A., Agreement Designation
Oil WELL  2. Name of Operator	X Gas Well	Other	8. Well Name and No.  NATURAL COTTON 11-20
<ul> <li>3. Address and Telephon</li> <li>P.O. BOX 250</li> <li>4. Location of Well (Foot 1000' FN)</li> </ul>	· · · · · · · · · · · · · · · · · · ·	vey Description)	9. API Well No. 43-047-32430  10. Field and Pool or Exploratory Area NATURAL COTTON/WASATCH  11. County State
12. CHECK APPROPRI		E NATURE OF NOTICE, REPORT, OR OTHER TYPE OF ACTION	DATA UTAH
X NOTICE OF INTENT  SUBSEQUENT REPORT  FINAL ABANDONMENT NOTICE		ABANDONMENT RECOMPLETION PLUGGING BACK CASING REPAIR ALTERING CASING	CHANGE OF PLANS  NEW CONSTRUCTION  NON-ROUTINE FRACTURING  WATER SHUT-OFF  CONVERSION TO INJECTION
		(Note: Report results of n	VELL STATUS nultiple completion on Well Completions port and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

The referenced well is being reviewed for recompletion potential. Notice of intent to recomplete or plug and abandon will be submitte to your office by Sundry Notice.

### RECEIVED

MAR 1 3 2000

DIVISION OF OIL, GAS AND MINION

(This space for Federal or State office use)	n. 1 hereby certify that he foregoing is true and common forms. The common forms of th	TITLE Regulatory Analyst	DATE 3/10/2000
	uls space for Federal or State office use)		
APPROVED BY TITLE DATE	PPROVED BY	TITLE	DATE

FORM 3160-5 (December 1989)

#### **UNITED STATES** DEPARTMEN F THE INTERIOR BUREAU OF LAND MANAGEMENT

### SUNDRY NOTICE AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -- " for such proposals

	TILLOUIT OIL I DAUITI	tor page brobosars			
	SUBMIT IN	TRIPLICATE		7.	If Unit or C.A., Agreement Designation
1. Type of Well				1	
Oil	Gas	•			
WELL X	Well	Other	· · · · · · · · · · · · · · · · · · ·	8.	Well Name and No.
2. Name of Operator				1	NATURAL COTTON 11-20

EOG Resources, Inc. 3. Address and Telephone No.

SECTION 20, T9S, R21E

P.O. BOX 250, BIG PINEY, WY 83113

4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1000' FNL - 1008' FWL (NW/NW)

(307) 276-3331 43-047-32430

Field and Pool or Exploratory Area NATURAL COTTON/WASATCH

County UINTAH, **UTAH** 

FORM APPROVED

Expires September 30, 1990

U 0575

API Well No.

Bureau No. 1004-0135

Lease Designation and Serial No.

If Indian, Allottee or Tribe Name

UTE TRIBAL SURFACE

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION		TYPE OF ACTION				
X	NOTICE OF INTENT SUBSEQUENT REPORT FINAL ABANDONMENT NOTICE	X	ABANDONMENT RECOMPLETION PLUGGING BACK CASING REPAIR ALTERING CASING OTHER		CHANGE OF PLANS NEW CONSTRUCTION NON-ROUTINE FRACTURING WATER SHUT-OFF CONVERSION TO INJECTION	
			(Note: Report results or Recompletion	•	apletion on Well Completions g Form.)	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work if well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).

EOG Resources, Inc. proposes to plug and abandon the subject well as follows:

- 1. Set CIBP @ 4620'±. Spot 100' of Class "G" cement on top of CIBP.
- 2. Perforate 2 squeeze holes @ 340'.
- 3. Mix & pump 110 sx Class "G" cement down 4-1/2" casing and out 4-1/2" x 8-5/8" annulus through perfs.
- 4. Cut off casing 3' below ground level and install cap & dry hole marker.

RECEIVED

MAR 3 0 2000

**DIVISION OF** OIL, GAS AND MINING

		A. D. 1//N755000			
*NOTE: EOG Resources, Inc. will be  14. I hereby certify that the foregoing of true and correct	using Nation	wide Bond #NM 2308			
SIGNED Dale Carlo	TITLE	Regulatory Analyst	DATE	3/27/2000	
		Accepted by the			
(This space for Federal or State office use)		Utah Division of		COPY SENT TO CHEMIK	*
APPROVED BY	TITLE	Oil, Gas and Mining	DATE	Date: 3-3/-00	<b>-</b>
CONDITIONS OF APPROVAL, IF ANY:  Title 18 U.S.C. Section 1001, makes it a crime for any person kno United States any false, fictitious or fraudulent statements or repi		pproval of this Necessary			

(December 1989) <b>DEPARTMEN</b>	ED STATES FOR HE INTERIOR AND MANAGEMENT	FORM ADDR QVED Budget E. No. 1004-0135 Expires September 30, 1990				
SUNDRY NOTIC	CE AND REPORTS ON WELLS	5. Lease Designation and Serial No.  U 0575				
Do not use this form for proposals to drill o	6. If Indian, Allottee or Tribe Name					
Use "APPLICATION FOR PE	UTE TRIBAL SURFACE					
SUBN	IIT IN TRIPLICATE	7. If Unit or C.A., Agreement Designation				
1. Type of Well						
Oil Gas						
WELL X Well	Other	8. Well Name and No.				
2. Name of Operator	NATURAL COTTON 11-20					
EOG Resources, Inc.						
3. Address and Telephone No.  P.O. BOX 250, BIG PINEY, WY 831	9. API Well No. 43-047-32430					
4. Location of Well (Footage, Sec., T., R., M., or Sur		10. Field and Pool or Exploratory Area				
1000' FNL - 1008' FWL (NW/		NATURAL COTTON/WASATCH				
SECTION 20, T9S, R21E		11. County State				
12 CHECK ADDRODDIATE DOVA TO INDICAT	E NATURE OF NOTICE DEPORT OF OTHER D	UINTAH, UTAH				
12. CHECK APPROPRIATE BOX(s) TO INDICAT TYPE OF SUBMISSION	TYPE OF ACTION	AIA				
TILE OF BODINEDAGY.						
NOTICE OF INTENT	X ABANDONMENT	CHANGE OF PLANS				
CANDON OVERNOUS DEPONDE	RECOMPLETION	NEW CONSTRUCTION				
SUBSEQUENT REPORT	PLUGGING BACK CASING REPAIR	NON-ROUTINE FRACTURING WATER SHUT-OFF				
FINAL ABANDONMENT NOTICE	ALTERING CASING	CONVERSION TO INJECTION				
. •	OTHER_					
	The state of the s	iple completion on Well Completions				
13. Describe Proposed or Completed Operations (Clearly st.	or Recompletion Repor ate all pertinent details and give pertinent dates, including est					
	Class "G" cement on top of CIBP.	annulus through perfs.				
		The second of th				
	COPY SENT TO CPERATE	JUL 17 2000				
	Cate: 7-19-00	DIVISION OF				
	CHD.	OIL, GAS AND MINING				
*NOTE: EOG Resources, Inc. will be usi	ng Nationwide Rond #NM 2308					
14. I hereby certify that the foregoing is type and correct	ng Huttoliffide Bolla III (NY 2000					
Tit lable	TITLE Regulatory Analyst	DATE 7/10/2000				
SIGNED & JOHN COUNTY	ALOGERATOR Y LITTURE YOU					
(This space for Federal or State office use)		Accepted by the				
APPROVED BY	TITLE	DATE Utah Division of				
CONDITIONS OF APPROVAL, IF ANY:		Oil, Gas and Mining				
Title 18 U.S.C. Section 1001, makes it a crime for any person knowing United States any false, fictitious or fraudulent statements or represen		FOR RECORD ONLY				

Federal Approval of this Action is Necessary